THE LIBRARY OF THE
UNIVERSITY OF
NORTH CAROLINA

THE COLLECTION OF
NORTH CAROLINIANA

C614.1
N87v
1963
Part 1
c.2

UNIVERSITY OF N.C. AT CHAPEL HILL
00017472343

This book may be kept out one month unless a recall notice is sent to you. It must be brought to the North Carolina Collection (in Wilson Library) for renewal.

Form No. A-369

Digitized by the Internet Archive
in 2009 with funding from
Ensuring Democracy through Digital Access (NC-LSTA)

http://www.archive.org/details/annualreportofpu196301nort

C 614.1
N81r
1963
Pt. 1
c. 2

ANNUAL REPORT

OF

PUBLIC HEALTH

STATISTICS SECTION

PART I

COMMUNICABLE DISEASE MORBIDITY STATISTICS

1963

NORTH CAROLINA STATE BOARD OF HEALTH

EPIDEMIOLOGY DIVISION

ANNUAL REPORT

OF

PUBLIC HEALTH STATISTICS SECTION

PART I

COMMUNICABLE DISEASE MORBIDITY STATISTICS

1963

NORTH CAROLINA STATE BOARD OF HEALTH

EPIDEMIOLOGY DIVISION

J.W.R. NORTON, M.D.

Secretary

and State Health Director

TABLE OF CONTENTS

Page

Introduction 1

TABLES

1. Estimated Population by Color: North Carolina and Each County, July 1, 1963..... 3

2. Estimated Population by Color and Sex: North Carolina, 1936-1963..... 4

3. Cases of Reportable Communicable Diseases: North Carolina, 1918-1963..... 5

4. Morbidity Rates Per 100,000 Population for Selected Reportable Communicable Diseases: North Carolina, 1948-1963..... 9

5. Cases of Reportable Communicable Diseases by County of Residence: North Carolina, 1963..... 10

6. Cases of Reportable Communicable Diseases by Month: North Carolina, 1963..... 24

7. Cases of Reportable Communicable Diseases by Age: North Carolina, 1963..... 25

8. Cases of Reportable Communicable Diseases by Color and Sex with Rates per 100,000 Population: North Carolina, 1963..... 26

9. Cases of Gastro-enteritis by County of Residence, Type, and Color: North Carolina, 1963..... 28

10. Cases of Previously Untreated Gonorrhea by County of Residence, Type, Color, and Sex: North Carolina, 1963..... 31

11. Cases of Infectious Jaundice by County of Residence, Type, and Color: North Carolina, 1963..... 34

12. Cases of Poliomyelitis by County of Residence, Color, Paralytic Status, and month of Onset: North Carolina, 1963..... 36

13. Cases of Previously Untreated Syphilis by County of Residence, Stage, Color, and Sex: North Carolina, 1963..... 37

14. Cases of Previously Untreated Syphilis by Stage, Color, and Sex with Rates Per 100,000 Population: North Carolina, 1940, 1950, 1963..... 41

15. Cases of Previously Untreated Congenital Syphilis by Year of Birth, Year of Report, and Color: North Carolina, 1956-1963..... 42

16. Cases of Tuberculosis, All Forms, by County of Residence, Type, Stage, Activity, and Color: North Carolina, 1963..... 44

799255

INTRODUCTION

Communicable disease morbidity statistics for North Carolina, 1963 are herein presented as Part I of the Annual Report of the Public Health Statistics Section. Natality and mortality data will be published as Part II later in the year.

A discussion summary appears on this and the following page. Population data and general summary tables showing the reported incidence of reportable communicable diseases in 1963 by county, age, month of onset, sex, and color comprise the body of this report. More detailed summaries are given for certain selected diseases.

SOURCE OF DATA

These data were derived from report cards received from military bases, local physicians, health departments, and hospitals in North Carolina, and through interstate reciprocal notification of disease. All death certificates which list a reportable communicable disease as a cause of death are checked against the case report files. Case reports are then obtained for all previously unreported cases. Certain more detailed information than that published in this report is available upon request.

REPORT PERIOD

Cases of amebiasis, leprosy, tuberculosis, and venereal disease are tabulated according to date received by the State Board of Health.

All other cases of communicable diseases are tabulated by date of onset. Cases reported as having onset in 1963 and received January 1, 1963 through January 31, 1964, and those received in 1963 with date of onset unknown, are reflected as 1963 events. Prior to 1948, reported cases of these diseases were compiled according to date of report.

RESIDENCE

The cases included in this report are for residents of North Carolina and are allocated to county of residence of the patient.

RATES

All rates shown are per 100,000 population. Morbidity rates for the past 16 years for selected reportable communicable diseases are presented in table 4 to show trends.

POPULATION

North Carolina population by county and color, 1963 and by color and sex, 1936-1963 are given in tables 1 and 2 respectively.

Population data used in this report for 1936-1963, other than the three census years (1940, 1950, 1960) were estimated by the U.S. Census Bureau 1936-1949, and by the Public Health Statistics Section 1951-1963. The arithmetic method, which assumes the same average annual numerical increase or decrease for the succeeding decade as occurred between two known census years, was used in estimating the total population since 1950.

DISCUSSION

Thanks to increased emphasis on obtaining effective immunization levels, the morbidity due to diseases for which immunizing agents are available continues to decrease. The number of poliomyelitis cases during 1963 was less than half of the number reported in 1962. The incidence of diphtheria fell to an all-time low of four cases (over 8,000 cases of diphtheria were reported from this state in 1922).

The optimism which might be derived from these statistics cannot be carried over to tetanus. Twenty-one individuals contracted this disease in 1963, two of them newborn infants. Seventy-five per cent of these cases terminated fatally. A statewide tetanus immunization campaign carried on in 1962 apparently was not successful in reaching our middle-aged and elderly citizens.

The incidence of infectious hepatitis has continued to fall from the peak level experienced in 1961. It is known that hepatitis reaches hyper-endemic proportions every six to eight years.

No indigenous cases of malaria were reported from North Carolina during 1963 nor was there a single case of human rabies.

The morbidity of Rocky Mountain spotted fever was almost identical to that noted in 1961 and 1962. Since this disease is transmitted by the dog tick, it does not lend itself well to intensive statewide preventive measures. For the first year since the reporting of tularemia was initiated, not a single case was reported in North Carolina.

In spite of improvements in purification of water supplies and sewage disposal techniques, diseases due to enteric pathogens are encountered with some regularity in North Carolina. During 1963, there were reported 24 cases of typhoid fever, 281 cases of other salmonella infections, and 214 instances of bacillary dysentery.

The number of cases of measles for 1963 rose to 1,606, this being a continued demonstration of its cyclic behavior. Control of this disease by the use of measles vaccine is anticipated with wider use.

A total of 1,464 cases of tuberculosis was reported in 1963 as compared with 1,423 in 1962.

A total of 12,607 cases of venereal disease was reported in North Carolina during 1963. Gonorrhea was reported at about the same rate as in the two preceding years. The 969 reported cases of primary and secondary syphilis reflects an increase in infectious syphilis of 15 per cent over 1962. This occurred while the reporting of latent syphilis continued to decline.

Symbols Used in Tables

- \- Number or rate is zero
- / Disease was not reportable
- N.A. Data was not available
- 0.0. Rate is more than 0 but less than 0.05

TABLE 1. -- ESTIMATED POPULATION BY COLOR: NORTH CAROLINA AND EACH COUNTY, JULY 1, 1963

Area	POPULATION			Area	POPULATION		
	Total	White	Nonwhite		Total	White	Nonwhite
NORTH CAROLINA.....	4,716,780	3,534,540	1,182,240				
Alamance.....	90,370	75,032	15,338	Johnston.....	61,971	47,904	14,067
Alexander.....	15,973	14,896	1,077	Jones.....	11,005	5,773	5,232
Alleghany.....	7,597	7,377	220	Lee.....	27,549	21,718	5,831
Anson.....	24,370	12,735	11,635	Lenoir.....	58,305	35,767	22,538
Ashe.....	19,082	18,909	173	Lincoln.....	29,256	25,714	3,542
Avery.....	11,573	11,435	138	McDowell.....	27,074	25,721	1,353
Beaufort.....	35,650	22,549	13,101	Macon.....	14,532	14,253	279
Bertie.....	23,671	9,660	14,011	Madison.....	16,141	16,041	100
Bladen.....	28,614	16,393	12,221	Martin.....	26,879	13,488	13,391
Brunswick.....	20,616	13,396	7,220	Mecklenburg.....	296,508	224,044	72,464
Buncombe.....	131,917	118,167	13,750	Mitchell.....	13,503	13,463	40
Burke.....	55,035	51,195	3,840	Montgomery.....	18,782	13,989	4,793
Cabarrus.....	69,551	58,376	11,175	Moore.....	37,903	27,898	10,005
Caldwell.....	51,567	47,889	3,678	Nash.....	61,353	37,447	23,906
Camden.....	5,722	3,253	2,469	New Hanover.....	74,495	54,445	20,050
Carteret.....	33,501	29,369	4,132	Northampton.....	26,284	9,559	16,725
Caswell.....	19,600	10,164	9,436	Onslow.....	95,921	83,488	12,433
Catawba.....	76,896	69,687	7,209	Orange.....	45,746	35,037	10,709
Chatham.....	27,237	18,735	8,502	Pamlico.....	9,804	6,141	3,663
Cherokee.....	15,698	15,291	407	Pasquotank.....	26,046	15,647	10,399
Chowan.....	11,466	6,002	5,464	Pender.....	18,537	9,628	8,909
Clay.....	5,370	5,326	44	Perquimans.....	9,041	4,829	4,212
Cleveland.....	66,597	51,563	15,034	Person.....	27,054	17,359	9,695
Columbus.....	48,437	31,341	17,096	Pitt.....	71,941	41,144	30,797
Craven.....	62,007	44,614	17,393	Polk.....	11,320	9,924	1,396
Cumberland.....	165,451	121,840	43,611	Randolph.....	64,971	59,576	5,395
Currituck.....	6,731	4,612	2,119	Richmond.....	39,072	27,329	11,743
Dare.....	6,107	5,691	416	Robeson.....	89,534	36,246	53,288
Davidson.....	85,099	75,721	9,378	Rockingham.....	71,192	55,981	15,211
Davie.....	17,154	15,109	2,045	Rowan.....	85,225	70,920	14,305
Duplin.....	40,010	24,879	15,131	Rutherford.....	44,678	39,372	5,306
Durham.....	115,362	78,614	36,748	Sampson.....	47,438	29,340	18,098
Edgecombe.....	55,068	26,505	28,563	Scotland.....	24,809	14,135	10,674
Forsyth.....	203,497	156,323	47,174	Stanly.....	42,089	37,507	4,582
Franklin.....	27,913	15,652	12,261	Stokes.....	22,571	20,194	2,377
Gaston.....	132,352	115,158	17,194	Surry.....	49,053	46,181	2,872
Gates.....	9,156	4,134	5,022	Swain.....	7,890	6,184	1,706
Graham.....	6,286	6,014	272	Transylvania.....	16,756	15,850	906
Granville.....	33,539	18,857	14,682	Tyrrell.....	4,348	2,407	1,941
Greene.....	16,325	7,889	8,436	Union.....	45,528	35,918	9,610
Guilford.....	264,547	208,389	56,158	Vance.....	31,969	18,132	13,837
Halifax.....	59,145	26,863	32,282	Wake.....	179,687	134,234	45,453
Harnett.....	48,441	34,718	13,723	Warren.....	18,388	6,627	11,761
Haywood.....	40,387	39,474	913	Washington.....	13,589	7,398	6,191
Henderson.....	37,866	35,930	1,936	Watauga.....	17,266	17,030	236
Hertford.....	23,131	9,555	13,576	Wayne.....	87,841	56,609	31,232
Hoke.....	16,551	7,206	9,345	Wilkes.....	45,279	42,571	2,708
Hyde.....	5,534	3,194	2,340	Wilson.....	58,759	35,161	23,598
Iredell.....	64,548	53,046	11,502	Yadkin.....	23,022	21,882	1,140
Jackson.....	17,299	15,468	1,831	Yancey.....	13,260	13,140	120

TABLE 2. -- ESTIMATED POPULATION BY COLOR AND SEX: NORTH CAROLINA, 1936-1963*

Year	ALL CLASSES			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
1936.....	3,400,525	1,690,503	1,710,022	2,427,312	1,215,163	1,212,149	973,213	475,340	497,873
1937.....	3,432,099	1,705,708	1,726,391	2,453,834	1,227,533	1,226,301	978,265	478,175	500,090
1938.....	3,475,530	1,727,452	1,748,078	2,490,752	1,245,657	1,245,095	984,778	481,795	502,983
1939.....	3,531,938	1,755,416	1,776,522	2,536,869	1,268,107	1,268,762	995,069	487,309	507,760
1940.....	3,571,623	1,772,990	1,798,633	2,567,635	1,281,762	1,285,873	1,003,988	491,228	512,760
1941.....	3,670,017	1,820,328	1,849,689	2,635,072	1,313,866	1,321,206	1,034,945	506,462	528,483
1942.....	3,665,373	1,803,364	1,862,009	2,631,738	1,301,208	1,330,530	1,033,635	502,156	531,479
1943.....	3,683,037	1,789,956	1,893,081	2,637,054	1,281,697	1,355,357	1,045,983	508,259	537,724
1944.....	3,594,865	1,703,966	1,890,899	2,573,923	1,211,469	1,362,454	1,020,942	492,497	528,445
1945.....	3,514,297	1,637,662	1,876,635	2,512,722	1,156,203	1,356,519	1,001,575	481,459	520,116
1946.....	3,640,645	1,780,275	1,860,370	2,606,702	1,277,866	1,328,836	1,033,943	502,409	531,534
1947.....	3,718,000	1,825,538	1,892,462	2,662,088	1,312,454	1,349,634	1,055,912	513,084	542,828
1948.....	3,798,000	1,864,818	1,933,182	2,719,368	1,340,694	1,378,674	1,078,632	524,124	554,508
1949.....	3,864,000	1,897,224	1,966,776	2,766,624	1,363,946	1,402,678	1,097,376	533,278	564,098
1950.....	4,061,929	2,017,105	2,044,824	2,983,121	1,489,840	1,493,281	1,078,808	527,265	551,543
1951.....	4,123,218	2,047,620	2,075,598	3,035,057	1,515,850	1,519,207	1,088,161	531,770	556,391
1952.....	4,172,249	2,072,032	2,100,217	3,076,606	1,536,658	1,539,948	1,095,643	535,374	560,269
1953.....	4,221,280	2,096,444	2,124,836	3,118,155	1,557,466	1,560,689	1,103,125	538,978	564,147
1954.....	4,270,311	2,120,856	2,149,455	3,159,704	1,578,274	1,581,430	1,110,607	542,582	568,025
1955.....	4,319,342	2,145,268	2,174,074	3,201,253	1,599,082	1,602,171	1,118,089	546,186	571,903
1956.....	4,368,373	2,169,680	2,198,693	3,242,802	1,619,890	1,622,912	1,125,571	549,790	575,781
1957.....	4,417,404	2,194,092	2,223,312	3,284,351	1,640,698	1,643,653	1,133,053	553,394	579,659
1958.....	4,466,435	2,218,504	2,247,931	3,325,900	1,661,506	1,664,394	1,140,535	556,998	583,537
1959.....	4,515,466	2,242,916	2,272,550	3,367,449	1,682,314	1,685,135	1,148,017	560,602	587,415
1960.....	4,556,155	2,247,069	2,309,086	3,399,285	1,684,797	1,714,488	1,156,870	562,272	594,598
1961.....	4,617,934	2,275,815	2,342,119	3,451,306	1,709,167	1,742,139	1,166,628	566,648	599,980
1962.....	4,667,357	2,298,812	2,368,545	3,492,923	1,728,663	1,764,260	1,174,434	570,149	604,285
1963.....	4,716,780	2,321,809	2,394,971	3,534,540	1,748,159	1,786,381	1,182,240	573,650	608,590

*1940, 1950 and 1960 enumeration as of April 1; estimates as of July 1

TABLE 3. -- CASES OF REPORTABLE COMMUNICABLE DISEASES: NORTH CAROLINA, 1918-1963

Disease	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929
Amebiasis	†	†	†	†	†	†	†	†	†	†	†	†
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-
Botulism	†	†	†	†	†	†	†	†	†	†	†	†
Cholera	-	-	-	-	-	-	-	-	-	-	-	-
Dengue	†	†	†	†	†	†	†	†	†	†	†	†
Diphtheria	1,366	3,519	3,422	5,136	8,136	4,671	4,095	3,437	3,198	3,034	3,826	4,337
Encephalitis	†	†	†	†	†	†	†	†	†	†	†	†
Gastro-enteritis	†	†	†	†	†	†	†	†	†	†	†	†
Glanders	†	†	†	†	†	†	†	†	†	†	†	†
Infectious jaundice*	†	†	†	†	†	†	†	†	†	†	†	†
Leprosy	†	†	†	†	†	†	†	†	†	†	†	†
Leptospirosis	†	†	†	†	†	†	†	†	†	†	†	†
Malaria	†	†	†	†	†	†	†	†	†	†	†	†
Measles	9,158	5,725	3,621	11,539	2,042	52,066	34,938	1,002	7,952	32,882	60,543	1,209
Meningococcal infections	151	105	96	70	54	46	30	26	24	26	21	88
Paratyphoid fever	1	26	2	-	-	-	-	-	-	-	-	13
Plague	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	23	42	25	36	30	16	16	79	112	24	51	133
Psittacosis	-	-	-	-	-	-	-	-	-	-	-	-
Q-Fever	†	†	†	†	†	†	†	†	†	†	†	†
Rabies	-	-	-	-	-	-	-	-	-	-	-	2
Rocky Mountain spotted fever	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	864	1,512	1,663	2,585	3,153	2,418	2,255	1,856	2,281	2,638	2,828	3,057
Septic sore throat	127	371	218	199	281	150	143	104	92	127	104	141
Smallpox	983	2,322	2,961	2,513	1,409	3,352	3,845	1,920	1,594	1,702	2,419	589
Tetanus	†	†	†	†	†	†	†	†	†	†	†	†
Trachoma	20	16	15	5	12	18	5	32	3	2	3	2
Trichinosis	†	†	†	†	†	†	†	†	†	†	†	†
Tuberculosis, all forms	3,514	2,306	3,295	2,523	1,356	1,851	2,381	2,355	1,921	2,271	2,578	2,858
Tularemia	-	-	-	-	-	-	-	-	-	-	-	4
Typhoid fever	3,461	2,956	1,856	2,099	1,960	1,577	1,318	1,192	1,502	1,280	1,073	861
Typhus fever, murine	-	-	2	-	-	-	-	-	-	-	-	3
Typhus fever, European	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	11,645	5,669	8,465	9,518	6,905	16,075	12,945	4,296	11,099	19,996	5,002	12,434
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	12	7,406	8,037	6,334	8,992	6,792	5,883	5,603	5,348	5,391	4,480	6,659
Gonorrhea	12	4,893	5,361	3,475	4,061	3,023	2,561	2,272	2,113	2,016	1,528	2,130
Ophthalmia neonatorum	12	33	27	19	16	15	5	8	6	5	6	12
Syphilis	†	2,084	2,213	2,637	4,671	3,559	3,153	3,161	3,044	3,224	2,846	4,457
Other venereal diseases	†	429	463	222	260	210	169	170	191	151	106	72
Chancroid	†	429	463	222	260	210	169	170	191	151	106	72
Granuloma inguinale	†	†	†	†	†	†	†	†	†	†	†	†
Lymphogranuloma venereum	†	†	†	†	†	†	†	†	†	†	†	†

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis.

TABLE 3. -- COMMUNICABLE DISEASES -- Continued

Disease	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
Amebiasis	†	†	†	†	†	†	†	†	†	†
Anthrax	-	1	-	-	2	-	-	-	-	-
Botulism	†	†	†	†	†	†	†	†	†	†
Cholera	-	-	-	-	-	-	-	-	-	-
Dengue	†	†	†	†	†	1	1	-	-	-
Diphtheria	3,248	3,156	1,895	2,497	2,114	1,720	2,347	2,056	2,442	2,368
Encephalitis	†	†	†	†	†	†	†	†	†	†
Gastro-enteritis	†	†	†	†	†	†	†	†	†	†
Glanders	†	†	†	†	†	†	†	†	†	†
Infectious jaundice*	†	†	†	†	†	†	†	†	†	†
Leprosy	†	†	†	†	†	†	†	†	†	†
Leptospirosis	†	†	†	†	†	†	†	†	†	†
Malaria	†	†	†	†	†	†	†	876	636	629
Measles	1,376	15,499	13,672	16,197	55,764	10,683	1,395	7,937	49,614	20,031
Meningococcal infections	153	123	71	66	50	109	196	169	93	59
Paratyphoid fever	21	27	16	12	15	26	20	16	18	16
Plague	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	96	104	54	30	45	675	52	106	50	116
Psittacosis	-	-	-	-	-	-	-	-	-	-
Q-Fever	†	†	†	†	†	†	†	†	†	†
Rabies	2	-	-	1	-	4	3	2	-	1
Rocky Mountain spotted fever	-	-	1	27	34	21	32	27	42	41
Scarlet fever	3,096	3,461	2,868	3,662	2,852	2,072	1,921	2,073	2,228	2,599
Septic sore throat	114	153	142	123	104	116	115	125	148	116
Smallpox	556	63	72	35	18	24	19	11	35	15
Tetanus	†	†	†	†	†	†	†	†	†	†
Trachoma	-	6	-	5	1	6	1	-	-	-
Trichinosis	†	†	†	†	†	†	†	†	†	†
Tuberculosis, all forms	3,201	2,638	2,488	2,524	2,047	1,996	3,008	2,632	2,607	2,366
Tularemia	7	3	10	28	14	15	10	13	26	26
Typhoid fever	1,000	991	823	684	464	645	518	493	485	343
Typhus fever, murine	16	14	24	46	23	51	33	68	81	122
Typhus fever, European	-	-	-	-	-	-	-	-	-	-
Undulant fever	-	-	4	15	19	31	23	26	29	25
Whooping cough	10,093	6,992	12,137	7,155	14,299	10,075	1,566	7,782	14,908	9,321
Yellow fever	-	-	-	-	-	-	-	-	-	-
Venereal diseases	7,670	7,536	6,583	6,781	7,417	7,088	8,355	15,341	23,861	35,121
Gonorrhea	2,450	2,298	2,130	2,176	2,164	1,826	2,159	2,894	3,045	3,815
Ophthalmia neonatorum	14	12	18	9	14	19	22	17	16	15
Syphilis	5,106	5,144	4,365	4,570	5,201	5,189	6,086	12,299	20,714	30,985
Other venereal diseases	114	94	88	35	52	73	110	148	102	321
Chancroid	114	94	88	35	52	73	110	148	102	321
Granuloma inguinale	†	†	†	†	†	†	†	†	†	†
Lymphogranuloma venereum	†	†	†	†	†	†	†	†	†	†

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis.

TABLE 3. -- COMMUNICABLE DISEASES -- Continued

Disease	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
Amebiasis	†	†	†	†	†	21	19	18	29	91	132
Anthrax	-	1	-	-	-	-	-	-	-	-	-
Botulism	†	†	†	†	†	†	†	†	†	†	†
Cholera	-	-	-	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	1	-	-	-	-
Diphtheria	1,125	1,629	1,187	801	665	1,475	590	751	485	550	499
Encephalitis	†	†	†	†	†	5	3	5	6	4	9
Gastro-enteritis	†	†	†	†	†	†	†	†	†	†	†
Glanders	†	†	†	†	†	-	-	-	-	-	-
Infectious jaundice*	†	†	†	†	†	†	†	†	†	†	†
Leprosy	†	†	†	†	†	1	-	-	-	-	-
Leptospirosis	†	†	†	†	†	†	†	†	†	†	†
Malaria	629	237	248	183	154	554	369	137	147	53	36
Measles	3,685	27,764	21,581	5,217	27,655	1,194	9,011	4,978	1,353	17,330	4,964
Meningococcal infections	34	46	49	478	308	179	120	95	73	87	116
Paratyphoid fever	3	11	7	6	7	5	6	7	13	8	7
Plague	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	74	168	82	36	861	159	157	300	2,516	229	756
Psittacosis	-	-	-	-	-	-	1	-	-	-	-
Q-Fever	†	†	†	†	†	†	†	†	†	†	†
Rabies	1	-	2	-	1	1	-	2	-	-	-
Rocky Mountain spotted fever	32	20	35	36	59	57	66	88	73	79	70
Scarlet fever	2,442	2,165	2,570	2,854	2,239	3,248	1,530	1,167	1,094	1,793	1,885
Septic sore throat	88	139	109	201	47	101	51	44	27	45	41
Smallpox	6	4	7	21	4	1	2	2	3	-	-
Tetanus	†	†	†	†	†	†	†	†	†	†	†
Trachoma	8	†	-	1	-	1	-	-	-	-	-
Trichinosis	†	†	†	†	†	†	†	†	†	†	†
Tuberculosis, all forms	2,084	2,425	1,902	1,633	1,804	3,392	3,466	3,591	3,274	3,402	3,653
Tularemia	12	22	13	14	10	27	45	74	46	38	25
Typhoid fever	238	197	181	111	122	82	54	47	56	53	58
Typhus fever, murine	65	78	100	157	236	159	82	51	43	26	12
Typhus fever, European	-	-	-	-	-	-	-	-	-	-	-
Undulant fever	11	12	9	7	14	15	9	21	16	25	21
Whooping cough	5,500	10,932	5,557	8,408	6,355	5,834	3,391	2,983	1,932	1,398	3,352
Yellow fever	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	26,213	23,617	26,985	25,658	21,147	22,040	26,082	23,643	22,930	23,399	20,514
Gonorrhea	4,616	5,834	9,637	10,870	10,892	13,162	16,082	14,169	14,962	16,173	14,930
Ophthalmia neonatorum	22	29	17	11	N.A.	N.A.	6	7	3	11	8
Syphilis	21,333	17,560	16,713	14,125	9,804	8,125	9,233	8,724	7,313	6,699	5,146
Other venereal diseases	264	223	635	663	451	753	767	750	655	527	438
Chancroid	264	223	635	663	451	447	513	531	381	332	265
Granuloma inguinale	†	†	†	†	†	75	101	99	98	66	82
Lymphogranuloma venereum	†	†	†	†	†	231	153	120	176	129	91

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis.

TABLE 3. -- COMMUNICABLE DISEASES -- Continued

Disease	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
Amebiasis	96	44	31	17	14	18	21	18	22	13	14	11	17
Anthrax	-	-	1	-	1	7	-	-	-	-	1	-	1
Botulism	†	-	1	-	-	-	-	1	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	373	202	130	126	85	70	49	32	20	22	12	11	4
Encephalitis	9	4	15	47	16	34	55	53	36	36	27	42	28
Gastro-enteritis	†	219	485	396	441	277	327	427	725	520	625	444	598
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious jaundice*	†	675	1,142	807	313	128	110	75	118	582	2,194	1,783	1,032
Leprosy	-	1	1	1	1	-	-	-	1	1	-	1	-
Leptospirosis	†	-	1	10	1	-	-	-	-	1	1	1	-
Malaria	82	305	48	23	18	4	4	6	2	7	5	34	11
Measles	3,315	4,511	4,984	9,566	1,385	7,630	1,960	4,590	3,391	1,417	5,094	940	1,606
Meningococcal infections	151	197	189	179	144	96	112	90	77	83	68	72	81
Paratyphoid fever	5	4	14	16	14	6	7	5	4	5	2	4	4
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	314	538	926	732	463	315	233	74	313	85	19	15	7
Psittacosis	-	-	-	11	9	75	4	2	-	-	-	3	1
Q-Fever	†	-	-	-	-	-	-	-	1	-	-	-	-
Rabies	1	-	-	1	1	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever	61	38	40	28	43	35	37	25	24	18	34	35	34
Scarlet fever	2,236	2,222	1,335	2,601	2,104	1,206	1,034	1,351	1,325	1,038	930	804	728
Septic sore throat	29	33	81	86	60	35	47	55	53	60	397	570	857
Smallpox	-	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus	†	26	18	23	18	13	15	9	1	8	12	11	21
Trachoma	-	-	2	-	-	-	-	-	-	-	-	-	-
Trichinosis	†	1	2	-	2	9	3	-	-	-	1	2	2
Tuberculosis, all forms	3,105	2,326	2,001	2,013	1,950	1,850	1,651	1,635	1,446	1,440	1,431	1,423	1,464
Tularemia	17	19	15	18	9	16	12	12	7	4	10	5	-
Typhoid fever	44	41	47	54	37	23	23	17	18	19	23	13	24
Typhus fever, murine	19	12	8	9	5	2	5	2	4	1	3	2	1
Typhus fever, European	-	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever	28	21	5	3	2	10	12	7	4	4	8	-	6
Whooping cough	1,961	471	252	787	1,366	539	161	401	577	111	118	152	144
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	20,251	19,960	19,992	18,608	16,499	17,051	19,439	16,586	15,239	13,038	12,536	12,772	12,607
Gonorrhea	15,779	15,895	15,958	14,947	12,731	12,728	14,055	12,125	10,816	10,006	9,029	8,583	9,185
Ophthalmia neonatorum	9	14	7	14	11	17	10	16	18	13	13	5	6
Syphilis	4,080	3,709	3,682	3,353	3,512	4,107	5,219	4,298	4,273	2,912	3,410	4,109	3,321
Other venereal diseases	392	356	352	308	256	216	165	163	150	120	97	80	161
Chancroid	253	256	273	233	186	171	125	109	127	106	69	66	68
Granuloma inguinale	58	38	45	33	40	28	30	33	11	4	13	7	8
Lymphogranuloma venereum	81	62	34	42	30	17	10	21	12	10	15	7	25

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis.

TABLE 4. -- MORBIDITY RATES PER 100,000 POPULATION FOR SELECTED REPORTABLE COMMUNICABLE DISEASES: NORTH CAROLINA, 1948-1963

Disease	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
Amebiasis	0.8	2.4	3.2	2.3	1.1	0.7	0.4	0.3	0.4	0.5	0.4	0.5	0.3	0.3	0.2	0.4
Diphtheria	13.3	14.2	12.3	9.0	4.8	3.1	3.0	2.0	1.6	1.1	0.7	0.4	0.5	0.3	0.2	0.1
Gastro-enteritis	†	†	†	†	5.2	11.5	9.3	10.2	6.3	7.4	9.6	16.1	11.4	13.5	9.5	12.7
Infectious jaundice*	†	†	†	†	16.2	27.1	18.9	7.2	2.9	2.5	1.7	2.6	12.8	47.5	38.2	21.9
Malaria	3.9	1.4	0.9	2.0	7.3	1.1	0.5	0.4	0.1	0.1	0.1	0.0	0.2	0.1	0.7	0.2
Measles	30.9	448.5	122.2	80.4	108.1	118.1	224.0	32.1	174.7	44.4	102.8	75.1	31.1	110.3	20.1	34.0
Meningococcal infections	2.0	2.3	2.9	3.7	4.7	4.5	4.2	3.3	2.2	2.5	2.0	1.7	1.8	1.5	1.5	1.7
Poliomyelitis	65.8	5.9	18.6	7.6	12.9	21.9	17.1	10.7	7.2	5.3	1.7	6.9	1.9	0.4	0.3	0.1
Scarlet fever	28.9	46.4	46.4	54.2	53.3	31.6	60.9	48.7	27.6	23.4	30.2	29.3	22.8	20.1	17.2	15.4
Tuberculosis, all forms	86.2	88.0	89.9	75.3	55.7	47.4	47.1	45.1	42.3	37.4	36.6	32.0	31.6	31.0	30.5	31.0
Tularemia	1.1	1.0	0.6	0.4	0.5	0.4	0.4	0.2	0.4	0.3	0.3	0.2	0.1	0.2	0.1	----
Typhoid fever	1.6	1.4	1.4	1.1	1.0	1.1	1.3	0.9	0.5	0.5	0.4	0.4	0.4	0.5	0.3	0.5
Whooping cough	52.0	36.2	82.5	47.6	11.3	6.0	18.4	31.6	12.3	3.6	9.0	12.8	2.4	2.6	3.3	3.1
Venereal Diseases																
Gonorrhea**	393.9	418.6	367.6	382.7	381.0	378.0	350.0	294.7	291.4	318.2	271.5	239.5	219.6	195.5	183.9	194.7
Syphilis	192.5	173.4	126.7	99.0	88.9	87.2	78.5	81.3	94.0	118.1	96.2	94.6	63.9	73.8	88.0	70.4
Other venereal diseases	17.2	13.6	10.8	9.5	8.5	8.3	7.2	5.9	4.9	3.7	3.6	3.3	2.6	2.1	1.7	2.1

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Gonorrhea includes ophthalmia neonatorum

TABLE 5. -- CASES OF REPORTABLE COMMUNICABLE DISEASES BY COUNTY OF RESIDENCE: NORTH CAROLINA, 1963.

Disease	North Carolina	Alamance	Alexander	Alleghany	Anson	Ashe	Avery
Amebiasis	17	-	-	-	-	-	-
Anthrax	1	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	4	-	-	-	-	-	-
Encephalitis	28	1	-	-	-	-	-
Gastro-enteritis	598	23	1	-	2	-	-
Glanders	-	-	-	-	-	-	-
Infectious jaundice*	1,032	55	3	-	35	2	2
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria**	1	-	-	-	-	-	-
Measles	1,606	9	4	-	-	3	2
Meningococcal infections	81	2	-	-	2	1	-
Paratyphoid fever	4	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	7	-	-	-	-	-	-
Psittacosis	1	-	-	-	-	-	-
Q-fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	34	1	-	-	-	-	-
Scarlet fever	728	7	6	-	2	2	2
Septic sore throat	857	-	-	-	-	-	-
Smallpox	-	-	-	-	-	-	-
Tetanus	21	1	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	2	-	-	-	-	-	-
Tuberculosis, all forms	1,464	34	2	2	9	2	2
Tularemia	-	-	-	-	-	-	-
Typhoid fever	24	6	-	-	-	-	-
Typhus fever, murine	1	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	6	-	-	-	-	-	-
Whooping cough	144	-	-	-	-	1	4
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	12,607	251	4	-	60	7	5
Gonorrhea	9,185	193	1	-	50	2	5
Ophthalmia neonatorum	6	-	-	-	-	-	-
Syphilis	3,321	58	3	-	9	5	-
Other venereal diseases	101	-	-	-	1	-	-
Chancroid	68	-	-	-	-	-	-
Granuloma inguinale	8	-	-	-	-	-	-
Lymphogranuloma venereum	25	-	-	-	1	-	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Beaufort	Bertie	Bladen	Brunswick	Buncombe	Burke	Cabarrus
Amebiasis	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-
Encephalitis	-	-	-	1	3	-	-
Gastro-enteritis	4	1	4	-	10	1	18
Glanders	-	-	-	-	-	-	-
Infectious jaundice*	1	-	12	1	36	2	28
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria**	-	-	-	-	-	-	-
Measles	-	-	-	6	11	1	23
Meningococcal infections	-	1	-	-	1	-	-
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	-	-	-
Scarlet fever	-	-	3	-	12	20	6
Septic sore throat	-	-	7	-	-	1	8
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	10	18	13	6	33	13	18
Tularemia	-	-	-	-	-	-	-
Typhoid fever	1	-	-	-	1	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	5	-	-	1	-	-	-
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	72	16	82	37	391	27	87
Gonorrhea	35	13	70	28	299	19	29
Ophthalmia neonatorum	-	-	-	-	-	-	-
Syphilis	37	3	12	9	92	8	58
Other venereal diseases	-	-	-	-	-	-	-
Chancroid	-	-	-	-	-	-	-
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Caldwell	Camden	Carteret	Caswell	Catawba	Chatham	Cherokee
Amebiasis	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-
Encephalitis	-	-	-	1	1	-	-
Gastro-enteritis	6	-	-	1	3	10	2
Glanders	-	-	-	-	-	-	-
Infectious jaundice*	8	1	2	3	14	-	2
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria**	-	-	-	-	-	-	-
Measles	3	8	2	5	54	-	-
Meningococcal infections	-	-	-	-	1	-	-
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	1	1	-
Scarlet fever	9	-	-	2	16	5	-
Septic sore throat	-	-	-	-	-	-	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	6	2	1	3	14	17	4
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	1	2	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	1	-	-	2	1	-	3
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	35	11	22	12	65	37	1
Gonorrhea	18	6	10	10	10	21	1
Ophthalmia neonatorum	-	-	-	-	-	-	-
Syphilis	14	5	12	2	55	16	-
Other venereal diseases	3	-	-	-	-	-	-
Chancroid	3	-	-	-	-	-	-
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Chowan	Clay	Cleveland	Columbus	Craven	Cumberland	Currituck
Amebiasis	-	-	-	-	-	5	-
Anthrax	-	-	1	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-
Encephalitis	-	-	-	-	-	2	-
Gastro-enteritis	2	-	3	1	5	7	2
Glanders	-	-	-	-	-	-	-
Infectious jaundice*	-	1	12	7	1	44	1
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria**	-	-	-	-	-	-	-
Measles	72	-	12	-	30	3	3
Meningococcal infections	-	-	2	1	1	14	-
Paratyphoid fever	-	-	-	-	-	1	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	-	1	-
Scarlet fever	20	1	57	2	5	2	1
Septic sore throat	3	-	2	-	1	74	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	-	3	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	1	-
Tuberculosis, all forms	9	-	4	15	26	49	1
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	-	-	4	-	1	1	-
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	28	-	107	38	148	1,336	19
Gonorrhea	21	-	88	20	113	1,095	12
Ophthalmia neoatorum	-	-	-	1	-	-	-
Syphilis	7	-	19	18	34	231	7
Other venereal diseases	-	-	-	-	1	10	-
Chancroid	-	-	-	-	1	7	-
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	3	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Dare	Davidson	Davie	Duplin	Durham	Edgecombe	Forsyth
Amebiasis	-	-	-	-	1	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-
Encephalitis	-	-	-	-	-	-	-
Gastro-enteritis	1	5	1	5	18	1	69
Glanders	-	-	-	-	-	-	-
Infectious jaundice*	-	47	1	5	11	7	12
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria**	-	-	-	-	-	-	-
Measles	-	7	-	5	55	12	34
Meningococcal infections	-	1	-	-	1	-	1
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	1	-	-	1	-	1
Scarlet fever	-	42	1	-	29	3	28
Septic sore throat	-	1	-	1	-	-	3
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	1	-	-	1
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	3	12	3	13	38	28	69
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	1	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	3	2	1
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	2	142	5	53	1,735	92	764
Gonorrhea	2	79	3	21	1,645	28	637
Ophthalmia neonatorum	-	-	-	-	-	-	-
Syphilis	-	62	2	32	59	64	124
Other venereal diseases	-	1	-	-	31	-	3
Chancroid	-	1	-	-	27	-	3
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	4	-	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Franklin	Gaston	Gates	Graham	Granville	Greene	Guilford
Amebiasis	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-
Encephalitis	-	-	-	-	-	-	4
Gastro-enteritis	8	2	1	-	18	2	18
Glanders	-	-	-	-	-	-	-
Infectious jaundice*	10	13	-	19	20	8	53
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria**	-	-	-	-	-	-	1
Measles	-	10	70	-	2	-	189
Meningococcal infections	-	1	-	-	2	1	-
Paratyphoid fever	-	1	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	1	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	3	1	-	-	-	-	5
Scarlet fever	2	27	-	1	-	1	91
Septic sore throat	-	-	-	-	-	-	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	1
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	11	31	4	1	14	15	57
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	1	8	16	-	-	-	2
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	47	287	4	15	82	11	607
Gonorrhea	19	171	1	15	43	9	369
Ophthalmia neonatorum	-	-	-	-	-	-	-
Syphilis	28	112	3	-	39	2	237
Other venereal diseases	-	4	-	-	-	-	1
Chancroid	-	4	-	-	-	-	1
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Halifax	Harnett	Haywood	Henderson	Hertford	Hoke	Hyde
Amebiasis	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-
Encephalitis	-	-	-	-	-	-	1
Gastro-enteritis	2	13	1	12	6	2	1
Glanders	-	-	-	-	-	-	-
Infectious jaundice*	1	15	15	4	-	3	-
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria**	-	-	-	-	-	-	-
Measles	30	12	3	1	-	2	1
Meningococcal infections	-	-	-	-	-	-	-
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	4	-	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	-	-	-
Scarlet fever	-	4	13	32	2	-	-
Septic sore throat	-	-	-	-	-	-	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	2	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	25	33	3	13	26	3	-
Tularemia	-	-	-	-	-	-	-
Typhoid fever	1	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	1	-	-	10	-	-	-
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	46	120	15	107	14	39	3
Gonorrhea	5	63	5	76	2	24	2
Ophthalmia neonatorum	-	1	-	-	-	-	-
Syphilis	41	57	9	31	12	15	1
Other venereal diseases	-	-	1	-	-	-	-
Chancroid	-	-	1	-	-	-	-
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Iredell	Jackson	Johnston	Jones	Lee	Lenoir	Lincoln
Amebiasis	3	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	2	-
Encephalitis	1	-	-	-	-	-	-
Gastro-enteritis	5	-	8	2	9	24	4
Glanders	-	-	-	-	-	-	-
Infectious jaundice*	28	15	1	-	1	2	8
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria**	-	-	-	-	-	-	-
Measles	1	7	-	2	3	-	3
Meningococcal infections	1	-	-	-	-	-	-
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	1	-	-	-	-
Scarlet fever	5	-	1	-	9	3	3
Septic sore throat	-	1	1	1	-	9	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	1	-	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	11	-	31	5	10	19	9
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	1	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	1	1	-	-	-
Whooping cough	-	-	11	-	-	-	-
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	69	12	71	14	75	128	37
Gonorrhea	18	7	28	11	59	100	2
Ophthalmia neonatorum	-	-	-	-	-	-	-
Syphilis	51	5	43	3	16	27	34
Other venereal diseases	-	-	-	-	-	1	1
Chancroid	-	-	-	-	-	-	-
Granuloma inguinale	-	-	-	-	-	1	-
Lymphogranuloma venereum	-	-	-	-	-	-	1

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	McDowell	Macon	Madison	Martin	Mecklenburg	Mitchell	Montgomery
Amebiasis	-	2	-	-	1	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	1	-	-	-
Encephalitis	-	-	-	-	1	-	-
Gastro-enteritis	-	-	1	1	21	-	1
Glanders	-	-	-	-	-	-	-
Infectious jaundice*	3	-	6	2	60	4	16
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria**	-	-	-	-	-	-	-
Measles	-	-	2	4	275	23	2
Meningococcal infections	-	-	-	-	4	-	-
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	6	-	-
Scarlet fever	-	3	5	-	43	10	6
Septic sore throat	-	-	-	-	1	2	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	-	3	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	1	-	-
Tuberculosis, all forms	2	4	3	10	53	8	7
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	1	1	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	16	3	-
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	9	-	9	29	2,135	1	36
Gonorrhea	2	-	7	16	1,722	-	30
Ophthalmia neonatorum	-	-	-	-	1	-	-
Syphilis	7	-	2	13	387	1	6
Other venereal diseases	-	-	-	-	26	-	-
Chancroid	-	-	-	-	11	-	-
Granuloma inguinale	-	-	-	-	2	-	-
Lymphogranuloma venereum	-	-	-	-	13	-	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Moore	Nash	New Hanover	North-ampton	Onslow	Orange	Pamlico
Amebiasis	-	1	-	-	-	2	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	1	-	-
Encephalitis	-	1	-	-	-	-	-
Gastro-enteritis	3	2	2	1	20	50	-
Glanders	-	-	-	-	-	-	-
Infectious jaundice*	7	13	12	5	22	5	1
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria**	-	-	-	-	-	-	-
Measles	8	13	-	-	72	5	5
Meningococcal infections	-	1	3	-	7	2	-
Paratyphoid fever	-	-	-	-	-	1	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	-	1	-
Scarlet fever	1	5	2	2	4	11	1
Septic sore throat	-	5	-	-	-	1	-
Smallpox	-	-	-	-	-	-	-
Tetanus	1	-	1	-	-	-	2
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	6	27	33	14	28	17	7
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	1	-
Typhus fever murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	-	1	1	-	-	1	6
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	55	134	167	18	189	101	13
Gonorrhea	28	75	115	14	152	93	9
Ophthalmia neonatorum	-	1	-	-	-	1	-
Syphilis	27	58	52	4	35	7	4
Other venereal diseases	-	1	-	-	2	1	-
Chancroid	-	1	-	-	2	1	-
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Pasquotank	Pender	Perquimans	Person	Pitt	Polk	Randolph
Amebiasis	-	-	-	-	-	-	1
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-
Encephalitis	-	-	-	-	-	-	-
Gastro-enteritis	4	6	1	2	16	-	6
Glanders	-	-	-	-	-	-	-
Infectious jaundice*	-	2	-	1	9	-	42
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria**	-	-	-	-	-	-	-
Measles	72	-	58	-	115	-	13
Meningococcal infections	2	-	-	-	2	-	4
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	15	-	25
Septic sore throat	-	-	-	-	-	3	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	7	9	3	13	52	3	8
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	4	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	1	1	-	-	-	-
Whooping cough	2	-	-	-	6	-	-
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	88	23	9	39	232	5	93
Gonorrhea	74	13	9	29	161	1	77
Ophthalmia neonatorum	-	-	-	1	-	-	-
Syphilis	14	9	-	10	71	4	16
Other venereal diseases	-	1	-	-	-	-	-
Chancroid	-	1	-	-	-	-	-
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-

*Excludes leptospirosis, includes Infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Richmond	Robeson	Rocking-ham	Rowan	Ruther-ford	Sampson	Scotland	Stanly
Amebiasis	-	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-
Encephalitis	-	1	2	4	-	-	-	-
Gastro-enteritis	1	2	2	6	2	1	2	2
Glanders	-	-	-	-	-	-	-	-
Infectious jaundice*	2	14	17	14	1	5	3	16
Leprosy	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-
Malaria**	-	-	-	-	-	-	-	-
Measles	-	-	15	2	8	-	-	3
Meningococcal infections	1	2	2	1	-	2	-	-
Paratyphoid fever	-	-	1	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	1	-	-	1	-
Psittacosis	-	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	3	1	-	-	-
Scarlet fever	5	9	2	5	4	7	-	8
Septic sore throat	-	33	-	-	-	-	-	-
Smallpox	-	-	-	-	-	-	-	-
Tetanus	-	-	-	1	-	1	-	-
Trachoma	-	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-	-
Tuberculosis, all forms	15	30	14	14	10	22	7	9
Tularemia	-	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-	-
Whooping cough	-	5	-	-	-	-	-	-
Yellow fever	-	-	-	-	-	-	-	-
Venereal diseases	26	125	79	161	46	51	57	22
Gonorrhea	7	72	20	65	32	19	36	9
Ophthalmia neonatorum	-	-	-	-	-	-	-	-
Syphilis	19	53	59	96	13	32	20	13
Other venereal diseases	-	-	-	-	1	-	1	-
Chancroid	-	-	-	-	1	-	-	-
Granuloma inguinale	-	-	-	-	-	-	1	-
Lymphogranuloma venereum	-	-	-	-	-	-	-	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Stokes	Surry	Swain	Transylvania	Tyrrell	Union	Vance	Wake
Amebiasis	-	-	-	-	-	1	-	-
Anthrax	-	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-
Encephalitis	-	-	-	-	-	-	-	3
Gastro-enteritis	3	5	2	1	-	-	4	53
Glanders	-	-	-	-	-	-	-	-
Infectious jaundice*	6	22	37	1	-	25	15	12
Leprosy	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-
Malaria**	-	-	-	-	-	-	-	-
Measles	3	1	1	-	-	7	2	93
Meningococcal infections	-	5	-	-	-	-	-	6
Paratyphoid fever	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	1	-	-	1	-
Scarlet fever	1	3	1	2	-	1	1	29
Septic sore throat	-	-	-	-	-	5	3	325
Smallpox	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-	-
Tuberculosis, all forms	5	19	1	2	-	11	10	55
Tularemia	-	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-	1
Typhus fever, European	-	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	-	-	-	13
Yellow fever	-	-	-	-	-	-	-	-
Venereal diseases	9	90	7	11	13	92	101	374
Gonorrhea	6	80	6	10	7	56	69	148
Ophthalmia neonatorum	-	-	-	-	-	-	-	-
Syphilis	3	8	1	1	5	35	32	221
Other venereal diseases	-	2	-	-	1	1	-	5
Chancroid	-	1	-	-	-	-	-	1
Granuloma inguinale	-	-	-	-	1	1	-	2
Lymphogranuloma venereum	-	1	-	-	-	-	-	2

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Warren	Washington	Watauga	Wayne	Wilkes	Wilson	Yadkin	Yancey	Not Stated
Amebiasis	-	-	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-
Encephalitis	-	-	-	-	-	1	-	-	-
Gastro-enteritis	2	-	6	8	3	2	1	-	9
Glanders	-	-	-	-	-	-	-	-	-
Infectious jaundice*	2	1	5	14	19	10	9	-	-
Leprosy	-	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-	-
Malaria**	-	-	-	-	-	-	-	-	-
Measles	8	50	26	16	2	-	2	-	-
Meningococcal infections	-	-	-	3	-	-	-	-	-
Paratyphoid fever	-	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	1	-	-	-
Q-Fever	-	-	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever	2	-	-	-	1	1	-	-	-
Scarlet fever	4	-	5	3	1	16	-	11	-
Septic sore throat	361	1	-	-	-	-	-	4	-
Smallpox	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	1	-	1	-	-	-
Trachoma	-	-	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms	5	3	1	47	21	38	1	3	7
Tularemia	-	-	-	-	-	-	-	-	-
Typhoid fever	-	-	1	2	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	2	-	-	-
Whooping cough	1	6	-	-	-	3	-	1	-
Yellow fever	-	-	-	-	-	-	-	-	-
Venereal diseases	17	5	2	219	10	153	14	5	39
Gonorrhea	11	3	1	154	4	94	8	3	25
Ophthalmia neonatorum	-	-	-	-	-	-	-	-	-
Syphilis	6	2	1	64	6	59	6	2	14
Other venereal diseases	-	-	-	1	-	-	-	-	-
Chancroid	-	-	-	1	-	-	-	-	-
Granuloma inguinale	-	-	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-	-	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

**Excludes 10 cases reported by armed forces

TABLE 6. -- CASES OF REPORTABLE COMMUNICABLE DISEASES BY MONTH: NORTH CAROLINA, 1963

Disease	Total	January	February	March	April	May	June	July	August	September	October	November	December	Not Stated
Amebiasis	17	-	3	3	-	3	2	1	1	3	1	-	-	-
Anthrax	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	-	-	-	-	1	-	-	2	1	-	-
Encephalitis	28	5	3	3	1	2	2	-	2	2	2	5	-	1
Gastro-enteritis	598	39	33	24	14	30	27	30	89	115	76	67	50	4
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious jaundice*	1,032	152	113	100	98	53	61	81	63	65	118	67	60	1
Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	11	-	3	1	-	1	1	-	1	-	3	-	1	-
Measles	1,606	269	213	263	332	259	66	29	14	3	22	58	71	7
Meningococcal infections	81	14	11	5	6	7	6	2	4	7	7	5	7	-
Paratyphoid fever	4	-	-	1	-	-	1	-	-	-	1	-	1	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	7	-	-	1	-	-	-	1	2	2	1	-	-	-
Psittacosis	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever	34	-	-	-	2	2	5	15	7	2	-	-	1	-
Scarlet fever	728	118	115	67	44	58	13	15	24	42	91	67	73	1
Septic sore throat	857	117	138	127	136	78	39	39	36	40	45	23	35	4
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	21	-	-	2	3	2	3	2	4	2	1	-	2	-
Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	2	1	-	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis, all forms	1,464	137	102	114	144	160	155	127	100	106	127	100	92	-
Tularemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid fever	24	-	-	1	1	3	2	6	3	3	1	3	1	-
Typhus fever, murine	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever	6	-	-	1	2	-	1	-	-	-	1	-	1	-
Whooping cough	144	8	7	4	14	14	19	22	12	13	12	8	5	6
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	12,607	1,216	694	1,021	1,099	1,171	1,054	1,204	1,091	1,135	1,040	904	978	-
Gonorrhea	9,185	883	480	699	779	873	760	889	771	882	727	638	804	-
Ophthalmia neonatorum	6	-	-	-	-	1	-	1	1	1	1	1	-	-
Syphilis	3,321	322	206	313	309	289	285	306	310	243	308	262	168	-
Other venereal diseases	101	11	8	9	11	9	9	9	10	10	5	4	6	-
Chancroid	68	8	4	4	7	6	5	4	8	8	5	4	5	-
Granuloma inguinale	8	1	1	2	2	-	-	1	1	-	-	-	-	-
Lymphogranuloma venereum	25	2	3	3	2	3	4	4	1	2	-	-	1	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis.

TABLE 7. -- CASES OF REPORTABLE COMMUNICABLE DISEASES BY AGE: NORTH CAROLINA, 1963

Disease	All Ages	Age in Years: Under 1	1	2	3	4	5	6	7	8	9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65 and over	Not Stated
Amebiasis	17	-	-	-	-	-	-	-	1	-	-	3	-	-	2	2	2	3	3	1	-
Anthrax	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Botulism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis	28	2	1	2	1	1	-	2	3	-	3	2	2	1	1	-	1	-	3	3	-
Gastro-enteritis	598	135	34	41	34	16	13	10	13	14	8	38	27	37	19	18	49	30	25	27	10
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious jaundice*	1,032	1	2	9	12	20	30	46	37	65	57	222	161	117	83	49	61	28	17	14	1
Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	11	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	3	-	-	-	-
Measles	1,606	42	113	152	122	136	147	296	298	134	62	81	13	3	-	1	-	-	-	-	6
Meningococcal infections	81	21	15	6	7	3	1	1	-	1	2	2	6	6	1	1	1	4	2	1	-
Paratyphoid fever	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	7	-	-	1	-	-	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-
Psittacosis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Q-Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever	34	-	-	-	2	-	3	3	3	3	2	9	2	-	-	-	3	1	2	1	-
Scarlet fever	728	-	17	39	47	80	59	106	105	71	48	109	30	8	7	-	-	2	-	-	-
Septic sore throat	857	8	21	23	22	37	41	57	82	51	37	134	69	68	39	37	52	35	21	13	10
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	21	2	-	-	-	-	-	1	-	-	-	-	-	1	2	-	2	3	6	4	-
Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Tuberculosis, all forms	1,464	9	23	26	20	13	13	10	7	6	5	39	55	62	86	96	225	272	229	268	-
Tularemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid fever	24	1	-	3	-	1	3	2	2	1	1	4	1	-	2	-	2	-	1	-	-
Typhus fever, murine	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-
Whooping cough	144	42	26	18	11	7	10	3	3	2	-	14	2	4	-	-	-	-	-	-	2
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	12,607	19	2	3	3	2	-	8	4	7	3	159	2,998	3,861	1,744	983	1,255	709	426	314	107
Gonorrhea	9,185	4	-	3	2	1	-	8	3	7	2	123	2,643	3,325	1,418	697	678	163	41	11	56
Ophthalmia neonatorum	6	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis	3,321	15	2	-	1	1	-	-	1	-	1	36	318	506	314	278	568	541	385	303	51
Other venereal diseases	101	-	-	-	-	-	-	-	-	-	-	-	37	30	12	8	9	5	-	-	-
Chancroid	68	-	-	-	-	-	-	-	-	-	-	-	23	19	9	5	7	5	-	-	-
Granuloma inguinale	8	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-
Lymphogranuloma venereum	25	-	-	-	-	-	-	-	-	-	-	-	10	7	3	3	2	-	-	-	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

TABLE 8. -- CASES OF REPORTABLE COMMUNICABLE DISEASES BY COLOR AND SEX WITH RATES PER 100,000 POPULATION: NORTH CAROLINA, 1963

Disease	All Classes						White						Nonwhite						Not Stated Sex, and or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
Amebiasis	17	0.4	11	0.5	6	0.3	12	0.3	9	0.5	3	0.2	5	0.4	2	0.3	3	0.5	-
Anthrax	1	0.0	-	-	1	0.0	1	0.0	-	-	1	0.1	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	4	0.1	1	0.0	3	0.1	1	0.0	1	0.1	-	-	3	0.3	-	-	3	0.5	-
Encephalitis	28	0.6	17	0.7	11	0.5	20	0.6	14	0.8	6	0.3	8	0.7	3	0.5	5	0.8	-
Gastro-enteritis	598	12.7	313	13.5	282	11.8	363	10.3	190	10.9	173	9.7	227	19.2	121	21.1	106	17.4	8
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Infectious jaundice*	1,032	21.9	509	21.9	523	21.8	807	22.8	383	21.9	424	23.7	225	19.0	126	22.0	99	16.3	-
Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	11	0.2	11	0.5	-	-	9	0.3	9	0.5	-	-	2	0.2	2	0.3	-	-	-
Measles	1,606	34.0	826	35.6	780	32.6	1,328	37.6	694	39.7	634	35.5	261	22.1	123	21.4	138	22.7	17
Meningococcal infections	81	1.7	47	2.0	34	1.4	64	1.8	37	2.1	27	1.5	17	1.4	10	1.7	7	1.2	-
Paratyphoid fever	4	0.1	4	0.2	-	-	3	0.1	3	0.2	-	-	1	0.1	1	0.2	-	-	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	7	0.1	6	0.3	1	0.0	6	0.2	5	0.3	1	0.1	1	0.1	1	0.2	-	-	-
Psittacosis	1	0.0	1	0.0	-	-	1	0.0	1	0.1	-	-	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever	34	0.7	21	0.9	13	0.5	29	0.8	19	1.1	10	0.6	5	0.4	2	0.3	3	0.5	-
Scarlet fever	728	15.4	340	14.6	388	16.2	681	19.3	319	18.2	362	20.3	46	3.9	20	3.5	26	4.3	1
Septic sore throat	857	18.2	438	18.9	419	17.5	729	20.6	378	21.6	351	19.6	120	10.2	56	9.8	64	10.5	8
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	21	0.4	10	0.4	11	0.5	9	0.3	4	0.2	5	0.3	12	1.0	6	1.0	6	1.0	-
Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	2	0.0	-	-	2	0.1	2	0.1	-	-	2	0.1	-	-	-	-	-	-	-
Tuberculosis, all forms	1,464	31.0	945	40.7	519	21.7	686	19.4	475	27.2	211	11.8	778	65.8	470	81.9	308	50.6	-
Tularemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid fever	24	0.5	16	0.7	8	0.3	10	0.3	7	0.4	3	0.2	14	1.2	9	1.6	5	0.8	-
Typhus fever, murine	1	0.0	1	0.0	-	-	1	0.0	1	0.1	-	-	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever	6	0.1	5	0.2	1	0.0	4	0.1	3	0.2	1	0.1	2	0.2	2	0.3	-	-	-
Whooping cough	144	3.1	69	3.0	75	3.1	67	1.9	32	1.8	35	2.0	77	6.5	37	6.4	40	6.6	-
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	12,607	267.3	9,216	396.9	3,391	141.6	1,899	53.7	1,351	77.3	548	30.7	10,708	905.7	7,865	1,371.0	2,843	467.1	-
Gonorrhea	9,185	194.7	7,371	317.5	1,814	75.7	1,201	34.0	958	54.8	243	13.6	7,984	675.3	6,413	1,117.9	1,571	258.1	-
Ophthalmia neonatorum	6	0.1	3	0.1	3	0.1	-	-	-	-	-	-	6	0.5	3	0.5	3	0.5	-
Syphilis	3,321	70.4	1,764	76.0	1,557	65.0	689	19.5	385	22.0	304	17.0	2,632	222.6	1,379	240.4	1,253	205.9	-
Other venereal diseases	101	2.1	81	3.5	20	0.8	9	0.3	8	0.5	1	0.1	92	7.8	73	12.7	19	3.1	-
Chancroid	68	1.4	58	2.5	10	0.4	8	0.2	7	0.4	1	0.1	60	5.1	51	8.9	9	1.5	-
Granuloma inguinale	8	0.2	2	0.1	6	0.3	-	-	-	-	-	-	8	0.7	2	0.3	6	1.0	-
Lymphogranuloma venereum	25	0.5	21	0.9	4	0.2	1	0.0	1	0.1	-	-	24	2.0	20	3.5	4	0.7	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

TABLE 9. -- CASES OF GASTRO-ENTERITIS BY COUNTY OF RESIDENCE, TYPE, AND COLOR: NORTH CAROLINA, 1963

Area	All Types				Salmonellosis				Shigellosis				Staphylococcus Food Poisoning				Other and Unspecified			
	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated	Total	White	Non-white	Not stated	Total	White	Non-white	Not Stated
North Carolina...	598	363	227	8	281	217	63	1	214	103	104	7	-	-	-	-	103	43	60	-
Alamance.....	23	9	14	-	8	7	1	-	8	2	6	-	-	-	-	-	7	-	7	-
Alexander.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anson.....	2	-	2	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Beaufort.....	4	2	2	-	1	1	-	-	2	1	1	-	-	-	-	-	1	-	1	-
Bertie.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Bladen.....	4	4	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Buncombe.....	10	10	-	-	8	8	-	-	1	1	-	-	-	-	-	-	1	1	-	-
Burke.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Cabarrus.....	18	6	12	-	11	3	8	-	5	2	3	-	-	-	-	-	2	1	1	-
Caldwell.....	6	6	-	-	5	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Caswell.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Catawba.....	3	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Chatham.....	10	4	6	-	4	3	1	-	5	-	5	-	-	-	-	-	1	1	-	-
Cherokee.....	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Chowan.....	2	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-
Cleveland.....	3	1	2	-	-	-	-	-	1	-	1	-	-	-	-	-	2	1	1	-
Columbus.....	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Craven.....	5	3	2	-	2	1	1	-	2	2	-	-	-	-	-	-	1	-	1	-
Cumberland.....	7	2	5	-	-	-	-	-	1	1	-	-	-	-	-	-	6	1	5	-
Currituck.....	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Dare.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Davidson.....	5	2	3	-	3	2	1	-	2	-	2	-	-	-	-	-	-	-	-	-
Davie.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Duplin.....	5	3	2	-	4	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-
Durham.....	18	1	17	-	5	1	4	-	13	-	13	-	-	-	-	-	-	-	-	-

Edgecombe.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Forsyth.....	69	67	2	-	61	60	1	-	7	6	1	-	-	-	-	-	1	1	-	-
Franklin.....	8	4	4	-	1	1	-	-	5	3	2	-	-	-	-	-	2	-	2	-
Gaston.....	2	2	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Gates.....	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Granville.....	18	10	8	-	4	2	2	-	14	8	6	-	-	-	-	-	-	-	-	-
Greene.....	2	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-
Guilford.....	18	14	4	-	13	13	-	-	-	-	-	-	-	-	-	-	5	1	4	-
Halifax.....	2	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-
Harnett.....	13	8	5	-	4	4	-	-	9	4	5	-	-	-	-	-	-	-	-	-
Haywood.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Henderson.....	12	1	11	-	12	1	11	-	-	-	-	-	-	-	-	-	-	-	-	-
Hertford.....	6	-	6	-	1	-	1	-	2	-	2	-	-	-	-	-	3	-	3	-
Hoke.....	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Hyde.....	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Iredell.....	5	1	4	-	1	1	-	-	-	-	-	-	-	-	-	-	4	-	4	-
Johnston.....	8	4	4	-	3	3	-	-	1	1	-	-	-	-	-	-	4	-	4	-
Jones.....	2	1	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Lee.....	9	5	4	-	5	2	3	-	3	2	1	-	-	-	-	-	1	1	-	-
Lenoir.....	24	19	5	-	6	2	4	-	18	17	1	-	-	-	-	-	-	-	-	-
Lincoln.....	4	3	1	-	1	1	-	-	1	1	-	-	-	-	-	-	2	1	1	-
Madison.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Martin.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mecklenburg.....	21	14	7	-	9	9	-	-	8	4	4	-	-	-	-	-	4	1	3	-
Montgomery.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Moore.....	3	1	2	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Nash.....	2	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hanover.....	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Northampton.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Onslow.....	20	19	1	-	2	2	-	-	3	3	-	-	-	-	-	-	15	14	1	-

TABLE 9. -- GASTRO-ENTERITIS -- Continued

Area	All Types				Salmonellosis				Shigellosis				Staphylococcus Food Poisoning				Other and Unspecified			
	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated
Orange	50	14	36	-	9	6	3	-	37	6	31	-	-	-	-	-	4	2	2	-
Pasquotank	4	2	2	-	2	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-
Pender	6	4	2	-	2	2	-	-	4	2	2	-	-	-	-	-	-	-	-	-
Perquimans	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Person	2	-	2	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Pitt	16	9	7	-	7	5	2	-	6	3	3	-	-	-	-	-	3	1	2	-
Randolph	6	5	1	-	2	2	-	-	3	3	-	-	-	-	-	-	1	-	1	-
Richmond	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Robeson	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Rockingham	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Rowan	6	5	1	-	4	3	1	-	1	1	-	-	-	-	-	-	1	1	-	-
Rutherford	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
Sampson	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Scotland	2	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-
Stanly	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Stokes	3	3	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Surry	5	5	-	-	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Swain	2	-	2	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Transylvania	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Vance	4	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	3	1	2	-
Wake	53	40	13	-	32	27	5	-	21	13	8	-	-	-	-	-	-	-	-	-
Warren	2	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Watauga	6	6	-	-	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wayne	8	6	2	-	6	5	1	-	1	-	1	-	-	-	-	-	1	1	-	-
Wilkes	3	2	1	-	-	-	-	-	1	1	-	-	-	-	-	-	2	1	1	-
Wilson	2	2	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Yadkin	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Not Stated	9	1	-	8	2	1	-	1	7	-	-	7	-	-	-	-	-	-	-	-

TABLE 10. -- CASES OF PREVIOUSLY UNTREATED GONORRHEA BY COUNTY OF RESIDENCE, TYPE, COLOR, AND SEX: NORTH CAROLINA, 1963

Area	Diagnosed Cases															Epidemiologic Treatment				
	All Sites			Genito-Urinary				Ophthalmia				Other								
				White		Nonwhite		White		Nonwhite		White		Nonwhite			White		Nonwhite	
	Total	White	Non-white	Male	Fem.	Male	Fem.	Male	Fem.	Male	Fem.	Male	Fem.	Male	Fem.	Total	Male	Fem.	Male	Fem.
North Carolina....	9,185	1,201	7,984	957	243	6,395	1,565	-	-	3	3	1	-	15	3	658	3	93	32	530
Alamance.....	193	9	184	9	-	178	6	-	-	-	-	-	-	-	-	31	-	3	3	25
Alexander.....	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anson.....	50	1	49	1	-	44	5	-	-	-	-	-	-	-	-	24	-	-	1	23
Ashe.....	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	2	-	1	-	1
Avery.....	5	5	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaufort.....	35	-	35	-	-	15	20	-	-	-	-	-	-	-	-	-	-	-	-	-
Bertie.....	13	-	13	-	-	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Bladen.....	70	6	64	6	-	62	2	-	-	-	-	-	-	-	-	1	-	-	-	1
Brunswick.....	28	5	23	3	2	14	9	-	-	-	-	-	-	-	-	-	-	-	-	-
Buncombe.....	299	95	204	70	25	136	68	-	-	-	-	-	-	-	-	91	1	27	-	63
Burke.....	19	13	6	9	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cabarrus.....	29	10	19	7	3	12	7	-	-	-	-	-	-	-	-	1	-	1	-	-
Caldwell.....	18	12	6	10	2	5	1	-	-	-	-	-	-	-	-	4	-	1	1	2
Camden.....	6	-	6	-	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Carteret.....	10	-	10	-	-	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Caswell.....	10	-	10	-	-	9	1	-	-	-	-	-	-	-	-	1	-	-	-	1
Catawba.....	10	2	8	2	-	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chatham.....	21	2	19	1	1	14	5	-	-	-	-	-	-	-	-	1	-	-	-	1
Cherokee.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chowan.....	21	-	21	-	-	16	4	-	-	-	-	-	-	1	-	3	-	-	-	3
Cleveland.....	88	8	80	8	-	71	8	-	-	-	-	-	-	1	-	1	-	-	-	1
Columbus.....	20	3	17	3	-	15	1	-	-	-	1	-	-	-	-	1	-	1	-	-
Craven.....	113	17	96	16	1	82	14	-	-	-	-	-	-	-	-	11	-	-	1	10
Cumberland.....	1,095	191	904	165	26	763	140	-	-	-	-	-	-	1	-	11	-	5	-	6
Currituck.....	12	-	12	-	-	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10. -- GONORRHEA -- Continued

Area	Diagnosed Cases															Epidemiologic Treatment				
	All Sites			Genito-Urinary				Ophthalmia				Other								
	Total	White	Non-white	White		Nonwhite		White		Nonwhite		White		Nonwhite		Total	White		Nonwhite	
				Male	Fem.	Male	Fem.	Male	Fem.	Male	Fem.	Male	Fem.	Male	Fem.		Male	Fem.	Male	Fem.
Dare	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Davidson	79	11	68	9	2	56	11	-	-	-	-	-	-	1	-	3	-	-	-	3
Davie	3	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Duplin	21	1	20	1	-	16	3	-	-	-	-	-	-	1	-	-	-	-	-	-
Durham	1,645	80	1,565	54	26	1,117	448	-	-	-	-	-	-	-	-	1	-	1	-	-
Edgecombe	28	1	27	1	-	20	6	-	-	-	-	-	-	-	1	11	-	1	-	10
Forsyth	637	50	587	40	10	473	114	-	-	-	-	-	-	-	-	9	-	3	-	6
Franklin	19	-	19	-	-	16	3	-	-	-	-	-	-	-	-	3	-	-	-	3
Gaston	171	54	117	43	11	101	16	-	-	-	-	-	-	-	-	-	-	-	-	-
Gates	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Graham	15	15	-	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Granville	43	-	43	-	-	39	4	-	-	-	-	-	-	-	-	9	-	-	-	9
Greene	9	-	9	-	-	9	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Guilford	369	45	324	36	8	293	30	-	-	-	-	1	-	-	1	73	-	7	5	61
Halifax	5	-	5	-	-	2	3	-	-	-	-	-	-	-	-	12	-	1	-	11
Harnett	63	3	60	3	-	50	8	-	-	-	1	-	-	1	-	8	-	1	2	5
Haywood	5	2	3	1	1	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-
Henderson	76	40	36	24	16	29	7	-	-	-	-	-	-	-	-	1	-	1	-	-
Hertford	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Hoke	24	-	24	-	-	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyde	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iredell	18	5	13	4	1	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Jackson	7	4	3	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Johnston	28	2	26	2	-	23	3	-	-	-	-	-	-	-	-	3	-	-	-	3
Jones	11	-	11	-	-	10	1	-	-	-	-	-	-	-	-	5	-	1	-	4
Lee	59	4	55	4	-	33	22	-	-	-	-	-	-	-	-	3	-	-	-	3
Lenoir	100	11	89	9	2	68	21	-	-	-	-	-	-	-	-	14	-	3	2	9
Lincoln	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1
McDowell	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
Madison	7	7	-	5	2	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-

Martin.....	16	1	15	1	-	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Mecklenburg.....	1,722	180	1,542	147	33	1,270	271	-	-	1	-	-	-	-	-	124	-	14	1	109
Montgomery.....	30	5	25	2	3	17	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Moore.....	28	6	22	6	-	21	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Nash.....	75	2	73	2	-	64	8	-	-	1	-	-	-	-	-	8	-	-	-	8
New Hanover.....	115	13	102	9	4	90	12	-	-	-	-	-	-	-	-	25	-	1	2	22
Northampton.....	14	-	14	-	-	10	4	-	-	-	-	-	-	-	-	1	-	-	-	1
Onslow.....	152	50	102	49	1	99	3	-	-	-	-	-	-	-	-	9	-	-	-	9
Orange.....	93	3	90	2	1	68	21	-	-	1	-	-	-	-	-	4	-	-	-	4
Pamlico.....	9	1	8	1	-	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pasquotank.....	74	-	74	-	-	49	25	-	-	-	-	-	-	-	-	9	-	-	1	8
Pender.....	13	1	12	-	1	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perquimans.....	9	-	9	-	-	7	2	-	-	-	-	-	-	-	-	5	-	-	1	4
Person.....	29	-	29	-	-	25	3	-	-	-	1	-	-	-	-	10	-	1	2	7
Pitt.....	161	6	155	5	1	130	25	-	-	-	-	-	-	-	-	6	-	-	-	6
Polk.....	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Randolph.....	77	5	72	5	-	65	7	-	-	-	-	-	-	-	-	2	-	-	-	2
Richmond.....	7	1	6	1	-	5	1	-	-	-	-	-	-	-	-	4	-	-	-	4
Robeson.....	72	24	48	23	1	45	3	-	-	-	-	-	-	-	-	13	-	5	1	7
Rockingham.....	20	4	16	2	2	10	5	-	-	-	-	-	-	1	-	-	-	-	-	-
Rowan.....	65	3	62	3	-	60	2	-	-	-	-	-	-	-	-	16	-	3	-	13
Rutherford.....	32	10	22	7	3	13	8	-	-	-	-	-	-	1	-	-	-	-	-	-
Sampson.....	19	1	18	1	-	11	6	-	-	-	-	-	-	1	-	4	-	-	2	2
Scotland.....	36	4	32	3	1	26	3	-	-	-	-	-	-	3	-	1	-	-	-	1
Stanly.....	9	4	5	4	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stokes.....	6	3	3	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Surry.....	80	49	31	31	18	23	8	-	-	-	-	-	-	-	-	1	1	-	-	-
Swain.....	6	-	6	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Transylvania....	10	4	6	4	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tyrrell.....	7	2	5	2	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Union.....	56	3	53	2	1	49	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Vance.....	69	3	66	2	1	53	11	-	-	-	-	-	-	1	1	1	-	-	-	1
Wake.....	148	36	112	24	12	52	59	-	-	-	-	-	-	1	-	23	1	3	6	13
Warren.....	11	1	10	1	-	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington.....	3	-	3	-	-	3	-	-	-	-	-	-	-	-	-	2	-	-	-	2
Watauga.....	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wayne.....	154	31	123	29	2	99	23	-	-	-	-	-	-	1	-	17	-	3	1	13
Wilkes.....	4	4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wilson.....	94	9	85	9	-	82	3	-	-	-	-	-	-	-	-	26	-	-	-	26
Yadkin.....	8	1	7	1	-	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Yancey.....	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown.....	25	10	15	8	2	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE II. -- CASES OF INFECTIOUS JAUNDICE* BY COUNTY OF RESIDENCE, TYPE, AND COLOR: NORTH CAROLINA, 1963

Area	All Types			Infectious Hepatitis			Serum Hepatitis		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
North Carolina.....	1,032	807	225	1,026	803	223	6	4	2
Alamance.....	55	48	7	55	48	7	-	-	-
Alexander.....	3	3	-	3	3	-	-	-	-
Anson.....	35	11	24	35	11	24	-	-	-
Ashe.....	2	2	-	2	2	-	-	-	-
Avery.....	2	2	-	2	2	-	-	-	-
Beaufort.....	1	-	1	1	-	1	-	-	-
Bladen.....	12	7	5	12	7	5	-	-	-
Brunswick.....	1	1	-	1	1	-	-	-	-
Buncombe.....	36	36	-	35	35	-	1	1	-
Burke.....	2	1	1	2	1	1	-	-	-
Cabarrus.....	28	22	6	28	22	6	-	-	-
Caldwell.....	8	6	2	8	6	2	-	-	-
Camden.....	1	1	-	1	1	-	-	-	-
Carteret.....	2	2	-	1	1	-	1	1	-
Caswell.....	3	3	-	3	3	-	-	-	-
Catawba.....	14	11	3	14	11	3	-	-	-
Cherokee.....	2	2	-	2	2	-	-	-	-
Clay.....	1	1	-	1	1	-	-	-	-
Cleveland.....	12	10	2	12	10	2	-	-	-
Columbus.....	7	1	6	7	1	6	-	-	-
Craven.....	1	-	1	1	-	1	-	-	-
Cumberland.....	44	40	4	44	40	4	-	-	-
Currituck.....	1	-	1	1	-	1	-	-	-
Davidson.....	47	46	1	47	46	1	-	-	-
Davie.....	1	1	-	1	1	-	-	-	-
Duplin.....	5	2	3	5	2	3	-	-	-
Durham.....	11	8	3	11	8	3	-	-	-
Edgecombe.....	7	6	1	7	6	1	-	-	-
Forsyth.....	12	12	-	12	12	-	-	-	-
Franklin.....	10	7	3	10	7	3	-	-	-
Gaston.....	13	12	1	13	12	1	-	-	-
Graham.....	19	19	-	19	19	-	-	-	-
Granville.....	20	16	4	20	16	4	-	-	-
Greene.....	8	4	4	8	4	4	-	-	-
Guilford.....	53	48	5	53	48	5	-	-	-
Halifax.....	1	1	-	1	1	-	-	-	-
Harnett.....	15	13	2	15	13	2	-	-	-
Haywood.....	15	15	-	15	15	-	-	-	-
Henderson.....	4	4	-	4	4	-	-	-	-
Hoke.....	3	2	1	3	2	1	-	-	-
Iredell.....	28	18	10	28	18	10	-	-	-
Jackson.....	15	2	13	15	2	13	-	-	-
Johnston.....	1	1	-	1	1	-	-	-	-
Lee.....	1	-	1	1	-	1	-	-	-
Lenoir.....	2	2	-	2	2	-	-	-	-

TABLE 11. -- INFECTIOUS JAUNDICE* -- Continued

Area	All Types			Infectious Hepatitis			Serum Hepatitis		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	8	6	2	8	6	2	-	-	-
McDowell	3	3	-	3	3	-	-	-	-
Madison	6	6	-	6	6	-	-	-	-
Martin	2	2	-	2	2	-	-	-	-
Mecklenburg	60	51	9	60	51	9	-	-	-
Mitchell	4	4	-	4	4	-	-	-	-
Montgomery	16	4	12	15	3	12	1	1	-
Moore	7	3	4	7	3	4	-	-	-
Nash	13	9	4	13	9	4	-	-	-
New Hanover	12	11	1	12	11	1	-	-	-
Northampton	5	-	5	5	-	5	-	-	-
Onslow	22	19	3	22	19	3	-	-	-
Orange	5	5	-	4	4	-	1	1	-
Pamlico	1	1	-	1	1	-	-	-	-
Pender	2	-	2	2	-	2	-	-	-
Person	1	-	1	1	-	1	-	-	-
Pitt	9	5	4	9	5	4	-	-	-
Randolph	42	42	-	42	42	-	-	-	-
Richmond	2	-	2	2	-	2	-	-	-
Robeson	14	9	5	14	9	5	-	-	-
Rockingham	17	14	3	17	14	3	-	-	-
Rowan	14	14	-	14	14	-	-	-	-
Rutherford	1	1	-	1	1	-	-	-	-
Sampson	5	4	1	5	4	1	-	-	-
Scotland	3	3	-	3	3	-	-	-	-
Stanly	16	15	1	16	15	1	-	-	-
Stokes	6	6	-	6	6	-	-	-	-
Surry	22	22	-	22	22	-	-	-	-
Swain	37	5	32	37	5	32	-	-	-
Transylvania	1	1	-	1	1	-	-	-	-
Union	25	25	-	25	25	-	-	-	-
Vance	15	9	6	15	9	6	-	-	-
Wake	12	9	3	12	9	3	-	-	-
Warren	2	-	2	1	-	1	1	-	1
Washington	1	-	1	1	-	1	-	-	-
Watauga	5	5	-	5	5	-	-	-	-
Wayne	14	13	1	13	13	-	1	-	1
Wilkes	19	19	-	19	19	-	-	-	-
Wilson	10	4	6	10	4	6	-	-	-
Yadkin	9	9	-	9	9	-	-	-	-

*Excludes leptospirosis

TABLE 12. -- CASES OF POLIOMYELITIS BY COUNTY OF RESIDENCE, COLOR, PARALYTIC STATUS, AND MONTH OF ONSET: NORTH CAROLINA, 1963

Area	Color				Paralytic Status			Month of Onset												
	Total	White	Non-white	Not Stated	Para-lytic	Non-para	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina...	7	6	1	-	3	4	-	-	-	1	-	-	-	1	2	2	1	-	-	-
Granville.....	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Haywood.....	4	4	-	-	1	3	-	-	-	-	-	-	-	1	1	1	1	-	-	-
Rowan.....	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Scotland.....	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 13. -- CASES OF PREVIOUSLY UNTREATED SYPHILIS BY COUNTY OF RESIDENCE, STAGE, COLOR, AND SEX: NORTH CAROLINA, 1963

Area	Diagnosed Cases																			Epidemiologic Treatment	
	All Stages			Primary-Secondary				Early Latent				Other Acquired				Congenital					
	Total	White	Non-white	White		Nonwhite		White		Nonwhite		White		Nonwhite		White		Nonwhite		White	Non-white
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
North Carolina ·	3,321	689	2,632	44	14	495	416	44	23	180	222	287	247	662	570	10	20	42	45	26	461
Alamance.....	58	14	44	-	-	9	5	-	2	1	1	4	8	11	17	-	-	-	-	-	11
Alexander.....	3	2	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Alleghany.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Anson.....	9	2	7	-	-	-	-	-	-	1	-	2	-	3	3	-	-	-	-	-	-
Ashe.....	5	5	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-
Beaufort.....	37	7	30	-	-	-	-	-	-	1	2	3	4	17	8	-	-	1	1	-	-
Bertie.....	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
Bladen.....	12	1	11	-	-	2	3	-	-	-	-	1	-	5	1	-	-	-	-	-	-
Brunswick.....	9	2	7	-	-	-	-	-	-	-	1	-	2	6	-	-	-	-	-	-	-
Buncombe.....	92	51	41	1	-	4	5	2	2	2	-	27	16	10	19	-	3	1	-	-	10
Burke.....	8	5	3	-	-	-	-	-	-	1	-	2	3	2	-	-	-	-	-	-	-
Cabarrus.....	58	21	37	1	-	5	4	-	-	2	4	6	12	13	8	1	1	-	1	1	5
Caldwell.....	14	6	8	-	-	3	4	1	2	-	-	-	3	1	-	-	-	-	-	-	-
Camden.....	5	2	3	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	-
Carteret.....	12	3	9	-	-	-	-	-	-	1	2	-	3	5	1	-	-	-	-	-	-
Caswell.....	2	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Catawba.....	55	24	31	-	-	6	7	-	1	1	3	12	10	11	3	-	1	-	-	-	1
Chatham.....	16	3	13	-	-	2	1	-	1	2	2	1	1	3	2	-	-	-	1	-	6
Chowan.....	7	-	7	-	-	1	3	-	-	-	1	-	-	1	1	-	-	-	-	-	15
Cleveland.....	19	1	18	-	-	5	2	-	-	2	2	-	1	5	1	-	-	-	1	-	-

TABLE 13 -- SYPHILIS -- Continued

Area	Diagnosed Cases																			Epidemiologic Treatment	
	All Stages			Primary-Secondary				Early Latent				Other Acquired				Congenital					
	Total	White	Non-white	White		Nonwhite		White		Nonwhite		White		Nonwhite		White		Nonwhite		White	Non-white
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Columbus.....	18	3	15	-	-	4	4	1	-	1	1	2	-	3	2	-	-	-	-	1	-
Craven.....	34	2	32	-	-	4	5	-	-	1	8	2	-	8	4	-	-	-	2	-	4
Cumberland.....	231	37	194	18	2	96	42	5	-	15	25	7	4	12	2	1	-	-	2	1	2
Currituck.....	7	1	6	-	-	1	2	-	-	-	-	-	1	-	3	-	-	-	-	-	-
Davidson.....	62	3	59	1	-	16	14	-	1	3	3	-	1	10	9	-	-	1	3	-	-
Davie.....	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Duplin.....	32	4	28	-	-	9	15	-	-	2	-	2	1	-	1	1	-	1	-	-	2
Durham.....	59	7	52	-	-	7	6	1	-	3	2	4	2	20	13	-	-	1	-	-	17
Edgecombe.....	64	4	60	-	-	3	5	-	-	5	7	1	3	17	21	-	-	-	2	-	1
Forsyth.....	124	33	91	1	2	17	11	3	1	8	3	16	9	26	22	-	1	2	2	1	7
Franklin.....	28	1	27	-	-	8	11	-	-	-	-	-	1	4	4	-	-	-	-	-	1
Gaston.....	112	32	80	-	1	34	31	-	-	1	6	18	11	4	2	2	-	1	1	2	14
Gates.....	3	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Granville.....	39	14	25	4	1	11	3	1	-	1	5	8	-	3	2	-	-	-	-	1	6
Greene.....	2	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Guilford.....	237	38	199	1	1	36	33	-	1	18	32	16	18	40	35	-	1	4	1	6	94
Halifax.....	41	5	36	-	-	3	6	-	-	1	5	4	1	8	11	-	-	-	2	-	6
Harnett.....	57	1	56	-	-	15	18	-	-	2	3	1	-	12	5	-	-	-	1	-	1
Haywood.....	9	9	-	1	1	-	-	-	-	-	-	1	4	-	-	1	1	-	-	-	-
Henderson.....	31	11	20	1	-	4	-	-	-	2	1	5	5	9	4	-	-	-	-	-	1

Hertford.....	12	-	12	-	-	3	3	-	-	-	-	-	-	1	1	-	-	2	2	-	-
Hoke.....	15	1	14	-	-	1	2	-	-	1	1	-	1	5	4	-	-	-	-	-	1
Hyde.....	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Iredell.....	51	14	37	-	-	2	1	-	-	7	3	5	9	14	9	-	-	-	1	-	1
Jackson.....	5	2	3	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-
Johnston.....	43	15	28	1	1	3	5	1	1	1	6	2	9	7	5	-	-	1	-	-	-
Jones.....	3	-	3	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1
Lee.....	16	4	12	-	-	2	-	-	-	1	1	2	2	5	3	-	-	-	-	-	5
Lenoir.....	27	5	22	-	-	3	3	-	-	1	1	2	3	8	6	-	-	-	-	-	12
Lincoln.....	34	9	25	-	1	8	8	1	1	1	2	2	4	4	2	-	-	-	-	-	4
McDowell.....	7	5	2	-	-	-	-	-	-	-	-	3	1	1	1	-	1	-	-	-	-
Madison.....	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Martin.....	13	2	11	-	-	1	1	-	-	-	-	1	-	3	5	-	1	-	1	-	1
Mecklenburg.....	387	52	335	2	1	66	44	1	1	28	30	23	19	68	90	1	4	6	3	6	143
Mitchell.....	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Montgomery.....	6	2	4	-	-	1	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-
Moore.....	27	2	25	-	-	2	-	-	-	2	2	2	-	11	8	-	-	-	-	-	-
Nash.....	58	1	57	-	-	10	7	-	-	2	8	1	-	14	14	-	-	-	2	-	2
New Hanover.....	52	10	42	-	-	3	1	1	-	1	2	4	5	19	16	-	-	-	-	-	4
Northampton.....	4	1	3	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-
Onslow.....	35	15	20	5	1	10	2	8	-	4	2	-	1	2	-	-	-	-	-	3	1
Orange.....	7	3	4	-	-	2	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-
Pamlico.....	4	1	3	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
Pasquotank.....	14	3	11	-	-	1	1	-	-	1	-	1	1	6	2	-	1	-	-	-	6
Pender.....	9	-	9	-	-	3	2	-	-	1	1	-	-	1	1	-	-	-	-	-	-
Perquimans.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Person.....	10	1	9	-	-	3	1	-	1	1	-	-	-	2	2	-	-	-	-	-	1
Pitt.....	71	12	59	2	-	6	6	-	1	1	4	6	3	18	18	-	-	5	1	2	16
Polk.....	4	2	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
Randolph.....	16	5	11	-	-	-	-	2	1	2	-	1	1	4	5	-	-	-	-	-	-

TABLE 13. -- SYPHILIS -- Continued

Area	Diagnosed Cases																			Epidemiologic Treatment	
	All Stages			Primary- Secondary				Early Latent				Other Acquired				Congenital					
	Total	White	Non-white	White		Nonwhite		White		Nonwhite		White		Nonwhite		White		Nonwhite		White	Non-white
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Richmond.....	19	6	13	-	-	-	1	1	-	1	1	2	3	3	7	-	-	-	-	-	-
Robeson.....	53	6	47	-	-	10	13	1	-	3	5	1	4	9	6	-	-	-	1	-	-
Rockingham.....	59	15	44	-	-	5	1	-	-	3	-	7	8	18	17	-	-	-	-	-	6
Rowan.....	96	35	61	-	1	1	5	1	-	4	3	24	9	32	15	-	-	1	-	-	7
Rutherford.....	13	5	8	-	-	-	1	1	-	1	1	3	1	2	3	-	-	-	-	1	1
Sampson.....	32	3	29	-	-	9	9	-	-	-	1	2	-	6	4	1	-	-	-	-	-
Scotland.....	20	2	18	-	-	-	2	-	-	2	5	-	2	4	3	-	-	-	2	-	-
Stanly.....	13	4	9	-	-	-	-	-	-	-	-	4	-	3	6	-	-	-	-	-	1
Stokes.....	3	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Surry.....	8	4	4	-	-	-	-	1	2	1	-	1	-	2	1	-	-	-	-	-	-
Swain.....	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Transylvania....	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tyrrell.....	5	2	3	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-
Union.....	35	1	34	-	-	5	8	-	-	2	1	-	1	5	10	-	-	2	1	-	1
Vance.....	32	2	30	1	1	-	3	-	-	3	2	-	-	13	8	-	-	1	-	-	2
Wake.....	221	47	174	-	-	18	18	2	1	9	10	28	15	51	59	-	1	3	6	-	20
Warren.....	6	-	6	-	-	-	-	-	-	1	-	-	-	4	1	-	-	-	-	-	-
Washington.....	2	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Watauga.....	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Wayne.....	64	4	60	-	-	3	9	-	-	6	3	2	2	20	12	-	-	4	3	1	10
Wilkes.....	6	5	1	-	-	-	-	-	-	-	-	2	2	-	1	-	1	-	-	-	-
Wilson.....	59	6	53	1	-	7	13	-	-	3	5	2	2	12	9	-	1	2	2	-	7
Yadkin.....	6	2	4	-	-	-	-	1	-	-	-	-	-	3	1	1	-	-	-	-	-
Yancey.....	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown.....	14	4	10	1	-	-	1	2	1	5	1	-	-	2	1	-	-	-	-	-	-

TABLE 14. -- CASES OF PREVIOUSLY UNTREATED SYPHILIS BY STAGE, COLOR, AND SEX WITH RATES PER 100,000 POPULATION: NORTH CAROLINA, 1940, 1950, 1963

Year	Stage	All Classes						White						Nonwhite					
		Total		Male		Female		Total		Male		Female		Total		Male		Female	
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
1940	All Stages.....	21,225	594.3	9,528	537.4	11,697	650.3	2,756	107.3	1,454	113.4	1,302	101.3	18,469	1,839.6	8,074	1,643.6	10,395	2,027.3
	Primary-Secondary.	2,611	73.1	1,307	73.7	1,304	72.5	504	19.6	280	21.8	224	17.4	2,107	209.9	1,027	209.1	1,080	210.6
	Early Latent.....	9,436	264.2	3,766	212.4	5,670	315.2	986	38.4	467	36.4	519	40.4	8,450	841.6	3,299	671.6	5,151	1,004.6
	Other Acquired....	8,143	228.0	4,009	226.1	4,134	229.8	1,104	43.0	632	49.3	472	36.7	7,039	701.1	3,377	687.5	3,662	714.2
	Congenital.....	1,035	29.0	446	25.2	589	32.7	162	6.3	75	5.9	87	6.8	873	87.0	371	75.5	502	97.9
1950	All Stages.....	5,146	126.7	2,258	111.9	2,888	141.2	498	16.7	252	16.9	246	16.5	4,648	430.8	2,006	380.5	2,642	479.0
	Primary-Secondary.	1,187	29.2	590	29.2	597	29.2	163	5.5	99	6.6	64	4.3	1,024	94.9	491	93.1	533	96.6
	Early Latent.....	2,457	60.5	922	45.7	1,535	75.1	168	5.6	68	4.6	100	6.7	2,289	212.2	854	162.0	1,435	260.2
	Other Acquired....	1,170	28.8	595	29.5	575	28.1	139	4.7	74	5.0	65	4.4	1,031	95.6	521	98.8	510	92.5
	Congenital.....	332	8.2	151	7.5	181	8.9	28	0.9	11	0.7	17	1.1	304	28.2	140	26.6	164	29.7
1963	All Stages.....	3,321	70.4	1,764	76.0	1,557	65.0	689	19.5	385	22.0	304	17.0	2,632	222.6	1,379	240.4	1,253	205.9
	Primary-Secondary.	969	20.5	539	23.2	430	18.0	58	1.6	44	2.5	14	0.8	911	77.1	495	86.3	416	68.4
	Early Latent.....	469	9.9	224	9.6	245	10.2	67	1.9	44	2.5	23	1.3	402	34.0	180	31.4	222	36.5
	Other Acquired....	1,766	37.4	949	40.9	817	34.1	534	15.1	287	16.4	247	13.8	1,232	104.2	662	115.4	570	93.7
	Congenital.....	117	2.5	52	2.2	65	2.7	30	0.8	10	0.6	20	1.1	87	7.4	42	7.3	45	7.4

TABLE 15. -- CASES OF PREVIOUSLY UNTREATED CONGENITAL
NORTH CAROLINA,

Year of Birth	Year of											
	1956-1963			1963			1962			1961		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1963	16	3	13	16	3	13	-	-	-	-	-	-
1962	17	-	17	1	-	1	16	-	16	-	-	-
1961	14	3	11	-	-	-	-	-	-	14	3	11
1960	10	2	8	-	-	-	-	-	-	1	-	1
1959	8	2	6	-	-	-	-	-	-	-	-	-
1958	5	2	3	-	-	-	-	-	-	-	-	-
1957	17	-	17	-	-	-	-	-	-	-	-	-
1956	11	3	8	1	-	1	-	-	-	-	-	-
1955	-	-	-	-	-	-	-	-	-	-	-	-
1954	6	1	5	-	-	-	2	1	1	-	-	-
1953	2	-	2	-	-	-	-	-	-	1	-	1
1952	1	-	1	-	-	-	-	-	-	-	-	-
1951	7	-	7	1	-	1	-	-	-	-	-	-
1950	7	-	7	3	-	3	-	-	-	-	-	-
1949	12	1	11	2	-	2	1	-	1	1	-	1
1948	23	1	22	2	-	2	3	-	3	2	-	2
1947	31	5	26	4	-	4	2	1	1	4	1	3
1946	48	4	44	4	2	2	7	-	7	8	-	8
1945	58	2	56	3	-	3	8	2	6	5	-	5
1944	91	3	88	5	-	5	15	-	15	6	-	6
1943	88	4	84	1	-	1	3	-	3	9	1	8
1942	82	7	75	3	-	3	2	-	2	7	2	5
1941	91	12	79	3	-	3	3	2	1	4	1	3
1940	115	13	102	8	2	6	9	1	8	9	3	6
1939	89	15	74	7	4	3	8	1	7	8	3	5
1938	91	16	75	4	-	4	9	5	4	4	2	2
1937	63	12	51	1	1	-	7	2	5	5	1	4
1936	61	12	49	3	1	2	8	2	6	5	3	2
1935	73	24	49	8	3	5	3	2	1	13	8	5
1934	31	1	30	-	-	-	3	-	3	3	-	3
1933	42	6	36	4	1	3	1	-	1	3	2	1
1932	23	8	15	2	1	1	4	1	3	1	1	-
1931	26	9	17	5	2	3	4	2	2	4	1	3
1930	27	9	18	1	1	-	3	-	3	2	1	1
1929	24	6	18	1	1	-	4	1	3	5	1	4
1928	17	5	12	3	1	2	1	-	1	3	3	-
1927	13	3	10	2	-	2	-	-	-	2	2	-
1926	15	7	8	-	-	-	4	2	2	3	2	1
1925	16	3	13	1	-	1	2	-	2	2	1	1
Prior to 1925	200	73	127	18	7	11	28	11	17	29	13	16
Total	1,571	277	1,294	117	30	87	160	36	124	163	55	108

SYPHILIS BY YEAR OF BIRTH, YEAR OF REPORT, AND COLOR:
1956-1963

Report

1960			1959			1958			1957			1956		
Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	2	7	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	8	2	6	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	5	2	3	-	-	-	-	-	-
-	-	-	1	-	1	2	-	2	14	-	14	-	-	-
-	-	-	1	-	1	-	-	-	1	-	1	8	3	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	2	2	-	2
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	1	-	1	1	-	1	2	-	2	2	-	2
-	-	-	-	-	-	2	-	2	1	-	1	1	-	1
-	-	-	-	-	-	-	-	-	4	-	4	4	1	3
2	-	2	6	1	5	3	-	3	3	-	3	2	-	2
3	1	2	6	-	6	4	1	3	3	1	2	5	-	5
2	-	2	8	-	8	6	-	6	9	-	9	4	2	2
5	-	5	12	-	12	12	-	12	8	-	8	5	-	5
9	-	9	13	2	11	15	-	15	17	-	17	11	1	10
9	1	8	16	1	15	10	-	10	24	-	24	16	1	15
5	1	4	16	1	15	12	1	11	17	-	17	20	2	18
11	3	8	15	4	11	12	-	12	24	-	24	19	2	17
11	1	10	15	1	14	15	1	14	27	2	25	21	2	19
9	1	8	8	2	6	7	1	6	18	2	16	24	1	23
9	-	9	8	2	6	13	1	12	18	2	16	26	4	22
1	-	1	13	2	11	9	3	6	11	1	10	16	2	14
2	-	2	12	3	9	10	2	8	12	1	11	9	-	9
2	1	1	9	4	5	8	1	7	16	1	15	14	4	10
1	-	1	8	1	7	3	-	3	7	-	7	6	-	6
2	-	2	7	1	6	10	1	9	11	-	11	4	1	3
1	-	1	5	1	4	3	2	1	4	1	3	3	1	2
1	1	-	7	1	6	1	1	-	1	-	1	3	1	2
1	-	1	4	2	2	6	2	4	6	2	4	4	1	3
-	-	-	3	1	2	2	-	2	3	1	2	6	1	5
1	-	1	2	1	1	2	-	2	3	-	3	2	-	2
1	-	1	2	1	1	-	-	-	4	-	4	2	-	2
1	1	-	3	2	1	-	-	-	2	-	2	2	-	2
3	-	3	2	2	-	2	-	2	2	-	2	2	-	2
21	12	9	39	14	25	22	6	16	25	5	20	18	5	13
122	25	97	251	52	199	197	25	172	300	19	281	261	35	226

TABLE 16. -- CASES OF TUBERCULOSIS, ALL FORMS, BY COUNTY OF

Area	All Forms			Nonpulmonary			All Stages		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
North Carolina.....	1,464	686	778	101	41	60	1,363	645	718
Alamance.....	34	19	15	5	4	1	29	15	14
Alexander.....	2	2	-	-	-	-	2	2	-
Alleghany.....	2	2	-	-	-	-	2	2	-
Anson.....	9	3	6	2	1	1	7	2	5
Ashe.....	2	2	-	-	-	-	2	2	-
Avery.....	2	2	-	-	-	-	2	2	-
Beaufort.....	10	6	4	1	-	1	9	6	3
Bertie.....	18	8	10	1	-	1	17	8	9
Bladen.....	13	5	8	-	-	-	13	5	8
Brunswick.....	6	4	2	1	-	1	5	4	1
Buncombe.....	33	21	12	3	1	2	30	20	10
Burke.....	13	11	2	1	-	1	12	11	1
Cabarrus.....	18	10	8	-	-	-	18	10	8
Caldwell.....	6	5	1	1	1	-	5	4	1
Camden.....	2	1	1	-	-	-	2	1	1
Carteret.....	1	-	1	-	-	-	1	-	1
Caswell.....	3	-	3	-	-	-	3	-	3
Catawba.....	14	12	2	-	-	-	14	12	2
Chatham.....	17	10	7	1	1	-	16	9	7
Cherokee.....	4	4	-	1	1	-	3	3	-
Chowan.....	9	5	4	-	-	-	9	5	4
Cleveland.....	4	1	3	-	-	-	4	1	3
Columbus.....	15	5	10	1	-	1	14	5	9
Craven.....	26	10	16	2	2	-	24	8	16
Cumberland.....	49	21	28	7	2	5	42	19	23
Currituck.....	1	1	-	-	-	-	1	1	-
Dare.....	3	3	-	-	-	-	3	3	-
Davidson.....	12	9	3	-	-	-	12	9	3
Davie.....	3	2	1	-	-	-	3	2	1
Duplin.....	13	2	11	-	-	-	13	2	11
Durham.....	38	16	22	4	2	2	34	14	20
Edgecombe.....	28	9	19	2	1	1	26	8	18
Forsyth.....	69	21	48	2	-	2	67	21	46
Franklin.....	11	3	8	-	-	-	11	3	8
Gaston.....	31	22	9	2	1	1	29	21	8
Gates.....	4	-	4	-	-	-	4	-	4
Graham.....	1	1	-	-	-	-	1	1	-
Granville.....	14	7	7	1	1	-	13	6	7
Greene.....	15	7	8	2	2	-	13	5	8
Guilford.....	57	29	28	6	3	3	51	26	25
Halifax.....	25	5	20	2	-	2	23	5	18
Harnett.....	33	12	21	2	-	2	31	12	19
Haywood.....	3	3	-	-	-	-	3	3	-
Henderson.....	13	6	7	-	-	-	13	6	7
Hertford.....	26	7	19	2	-	2	24	7	17
Hoke.....	3	1	2	-	-	-	3	1	2
Iredell.....	11	6	5	-	-	-	11	6	5
Johnston.....	31	15	16	3	2	1	28	13	15
Jones.....	5	-	5	-	-	-	5	-	5
Lee.....	10	6	4	-	-	-	10	6	4

RESIDENCE, TYPE, STAGE, ACTIVITY, AND COLOR: NORTH CAROLINA, 1963

Pulmonary													
Primary Active		Reinfection											
		Active						Inactive				Other	
		Minimal		Moderately Advanced		Far Advanced		Moderately Advanced		Far Advanced			
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
47	128	96	63	221	148	201	284	46	17	11	4	23	74
3	4	4	3	5	4	2	2	1	-	-	1	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	-	-	-	-	-
-	2	-	-	2	1	-	2	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	1	1	3	-	2	1	-	1	-	-	-	-
-	1	2	1	2	-	3	5	-	-	-	-	1	2
-	2	2	1	2	-	1	5	-	-	-	-	-	-
-	1	1	-	2	-	1	-	-	-	-	-	-	-
2	-	4	1	6	2	4	4	1	-	1	-	2	3
-	-	1	-	3	-	5	1	1	-	1	-	-	-
-	-	2	-	3	3	3	3	2	1	-	-	-	1
-	-	2	-	1	-	1	1	-	-	-	-	-	-
-	-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	1	-	2	-	-	-	-	-	-	-	-
-	-	1	1	4	-	5	1	-	-	1	-	1	-
6	5	-	-	-	-	3	1	-	-	-	-	-	1
-	-	-	-	2	-	1	-	-	-	-	-	-	-
-	-	-	-	4	1	1	1	-	-	-	-	-	2
-	-	-	-	1	1	-	1	-	-	-	-	-	1
-	-	-	2	3	1	2	4	-	-	-	1	-	1
-	4	3	2	4	4	-	4	-	-	-	-	1	2
4	1	-	-	5	3	7	17	3	-	-	-	-	2
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	1	-	-	-	-	-
-	-	-	-	5	1	4	2	-	-	-	-	-	-
-	-	1	-	1	1	-	-	-	-	-	-	-	-
-	2	-	-	2	4	-	3	-	-	-	-	-	2
-	-	3	2	8	10	3	7	-	-	-	-	-	1
-	3	1	1	2	1	2	12	1	-	-	-	2	1
-	9	7	5	5	7	7	17	1	-	1	1	-	7
-	3	-	-	-	2	2	2	-	1	-	-	1	-
4	-	3	1	6	2	7	3	1	1	-	-	-	1
-	-	-	-	-	2	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
1	5	-	-	3	2	1	-	1	-	-	-	-	-
-	1	1	-	1	3	2	1	-	-	-	-	1	1
2	4	2	1	9	6	9	10	2	-	-	1	2	3
-	-	2	2	1	7	1	7	1	-	-	-	-	2
2	5	5	3	3	5	1	4	-	-	-	-	1	2
-	-	-	-	-	-	2	-	-	-	1	-	-	-
-	2	1	-	3	2	1	2	-	-	-	-	1	1
-	1	2	1	2	3	3	6	-	1	-	-	-	5
-	-	-	1	1	1	-	-	-	-	-	-	-	-
1	-	-	-	-	2	3	2	1	1	-	-	1	-
-	1	1	2	1	4	10	8	1	-	-	-	-	-
-	-	-	1	-	1	-	3	-	-	-	-	-	-
-	-	-	-	2	2	3	2	1	-	-	-	-	-

TABLE 16. --

Area	All Forms			Nonpulmonary			All Stages		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lenoir	19	6	13	-	-	-	19	6	13
Lincoln	9	4	5	-	-	-	9	4	5
McDowell	2	2	-	-	-	-	2	2	-
Macon	4	4	-	-	-	-	4	4	-
Madison	3	3	-	1	1	-	2	2	-
Martin	10	2	8	1	-	1	9	2	7
Mecklenburg	53	29	24	4	2	2	49	27	22
Mitchell	8	8	-	-	-	-	8	8	-
Montgomery	7	4	3	2	1	1	5	3	2
Moore	6	-	6	1	-	1	5	-	5
Nash	27	11	16	2	1	1	25	10	15
New Hanover	33	15	18	1	1	-	32	14	18
Northampton	14	4	10	2	-	2	12	4	8
Onslow	28	10	18	1	1	-	27	9	18
Orange	17	6	11	4	-	4	13	6	7
Pamlico	7	3	4	-	-	-	7	3	4
Pasquotank	7	2	5	1	-	1	6	2	4
Pender	9	4	5	-	-	-	9	4	5
Perquimans	3	1	2	-	-	-	3	1	2
Person	13	6	7	-	-	-	13	6	7
Pitt	52	8	44	4	2	2	48	6	42
Polk	3	3	-	-	-	-	3	3	-
Randolph	8	7	1	2	2	-	6	5	1
Richmond	15	10	5	1	-	1	14	10	4
Robeson	30	11	19	-	-	-	30	11	19
Rockingham	14	8	6	2	1	1	12	7	5
Rowan	14	9	5	3	-	3	11	9	2
Rutherford	10	7	3	1	-	1	9	7	2
Sampson	22	14	8	-	-	-	22	14	8
Scotland	7	-	7	2	-	2	5	-	5
Stanly	9	8	1	1	1	-	8	7	1
Stokes	5	5	-	-	-	-	5	5	-
Surry	19	18	1	-	-	-	19	18	1
Swain	1	1	-	-	-	-	1	1	-
Transylvania	2	2	-	-	-	-	2	2	-
Union	11	7	4	-	-	-	11	7	4
Vance	10	3	7	1	-	1	9	3	6
Wake	55	24	31	2	1	1	53	23	30
Warren	5	-	5	-	-	-	5	-	5
Washington	3	1	2	-	-	-	3	1	2
Watauga	1	1	-	-	-	-	1	1	-
Wayne	47	13	34	3	1	2	44	12	32
Wilkes	21	19	2	-	-	-	21	19	2
Wilson	38	13	25	4	1	3	34	12	22
Yadkin	1	1	-	-	-	-	1	1	-
Yancey	3	3	-	-	-	-	3	3	-
Unknown	7	4	3	-	-	-	7	4	3

TUBERCULOSIS -- Continued

Pulmonary													
Primary Active		Reinfection											
		Active						Inactive				Other	
		Minimal		Moderately Advanced		Far Advanced		Moderately Advanced		Far Advanced			
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
-	-	-	2	2	3	4	5	-	-	-	-	-	3
-	2	2	-	1	1	1	2	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	-	-	-	-	-
-	-	-	-	1	-	3	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	1	1	5	-	1	-	-	-	-
-	2	4	1	11	4	5	13	6	2	1	-	-	-
-	-	1	-	2	-	5	-	-	-	-	-	-	-
-	1	2	-	1	-	-	1	-	-	-	-	-	-
-	1	-	1	-	1	-	-	-	1	-	-	-	1
1	-	1	2	2	2	6	9	-	-	-	-	-	2
-	7	1	-	5	6	4	5	3	-	-	-	1	-
2	1	-	-	1	1	1	5	-	-	-	-	-	1
2	12	-	1	2	1	5	3	-	-	-	-	-	1
-	6	1	-	1	-	2	1	1	-	1	-	-	-
-	-	2	-	-	3	-	1	-	-	-	-	1	-
1	1	-	-	-	-	1	3	-	-	-	-	-	-
-	-	-	1	3	1	-	3	1	-	-	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-	-	1
2	2	2	4	-	-	2	1	-	-	-	-	-	-
-	7	1	6	2	7	2	14	-	1	-	-	1	7
-	-	1	-	1	-	-	-	-	-	1	-	-	-
-	-	1	-	2	-	2	-	-	-	-	-	-	1
-	1	-	1	8	-	2	1	-	-	-	-	-	1
-	1	3	1	5	4	2	7	1	3	-	-	-	3
1	1	-	1	4	1	2	2	-	-	-	-	-	-
-	-	-	-	4	1	4	1	1	-	-	-	-	-
-	-	1	-	4	-	1	1	-	-	1	-	-	1
7	3	1	1	3	1	2	1	1	-	-	-	-	2
-	1	-	-	-	-	-	3	-	-	-	-	-	1
-	-	1	-	4	1	1	-	-	-	-	-	1	-
-	-	1	-	2	-	2	-	-	-	-	-	-	-
-	-	1	-	7	1	8	-	2	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	-	-	-	-	-
-	3	-	-	3	-	2	1	1	-	-	-	1	-
-	-	-	1	2	1	-	4	-	-	1	-	-	-
4	6	6	1	7	6	4	14	-	3	1	-	1	-
-	1	-	-	-	1	-	3	-	-	-	-	-	-
-	-	-	-	-	-	1	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
1	5	4	5	4	7	2	10	1	-	-	-	-	5
-	-	2	-	6	-	9	2	1	-	-	-	1	-
-	6	2	-	5	2	1	11	2	-	-	-	2	3
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	-	2	-	-	-	-	-	-	-
1	-	1	-	-	1	1	2	1	-	-	-	-	-